

BOSTIK WEST, DIVISION OF USM CORP. -- BOSTIK TL-52 -- 8010-00-243-8582

=====
Product Identification
=====

Product ID:BOSTIK TL-52

MSDS Date:01/01/1985

FSC:8010

NIIN:00-243-8582

MSDS Number: BDMYN

=== Responsible Party ===

Company Name:BOSTIK WEST, DIVISION OF USM CORP.

Address:434 W. MEAT ST.

City:ORANGE

State:CA

ZIP:92661

Country:US

CAGE:EO519

=== Contractor Identification ===

Company Name:AKZO

COATINGS INC

Address:434 W. MEATS STREET

Box:City:ORANGE

State:CA

ZIP:92661

Country:US

Phone:714-637-1750; CHEMTREC 800-424-9300

CAGE:98502

Company Name:BOSTIK WEST, DIV. OF USM CORPORATION, AN EMHART UN

CAGE:EO519

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 20.0%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 20.0%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 20.0%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 10.0%
OSHA PEL:100 PPM/75 STEL
ACGIH TLV:50 PPM/75 STEL; 9293
EPA Rpt Qty:50
00 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:CYCLOHEXANONE (SARA III)
CAS:108-94-1
RTECS #:GW1050000
Fraction by Wt: 15.0%
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:NOSE & THROAT IRRITANT IF INHALED; ALSO NAUSEA
& VOMITING. CONTACT WITH SKIN & EYES MAY IRRITATE.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH WITH

SOAP & WATER. EYE: FLUSH WITH WATER, CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. CONSULT PHYSICIAN. INGESTION: INDUCE VOMITING. CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:23F (TCC)

Lower Limits:1.0

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL FOR SMALL FIRES.

Fire Fighting Procedures:USE AIR-SUPPLIED RESCUE EQUIPMENT IN ENCLOSED SPACES.

Unusual Fire/Explosion Hazard:DO NOT APPLY TO HEATED SURFACES OR IN AREAS

WHERE ELECTRIC SPARKS MAY BE PRESENT.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB MATERIAL WITH SAWDUST OR OIL-ABSORBING COMPOUND. WASH AREA WITH DETERGENT & WATER. USE ADEQUATE VENTILATION TO CLEAR FUMES FROM AREA. AVOID SPARKS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE UNDER 100F. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE EITHER OBA OR SUITABLE CHEMICAL CARTRIDGE & DUST FILTER RESP.

Ventilation:TO KEEP VAPORS BELOW TLV.

Protective Gloves:SOLVENT RESIST.

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:COVERALLS, APRON, NON-SPARKING SHOES, ETC.

Supplemental Safety and Health

XYLENE-ZE2100000 10%,S,100 PPM. BUTYL ALCOHOL-EO1400000 5%,C,S,50 P PM.

USE ALCOHOL-TYPE FOAM FOR LARGE FIRES. VAPOR DENSITY HEAVIER THAN AIR.

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:170-325F

Evaporation Rate & Reference:SLOWER THAN ETHER.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS

Stability Condition to Avoid:STORAGE AT HIGH TEMPERATURES.

Hazardous Decomposition Products:CARB

ON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE WITH CARE. LANDFILL PREFERRED.
DISPOSE IN ACCORDANCE WITH LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
discl
aims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.