

DOW CORNING CORPORATION -- DOW CORNING S CATALYST -- 5970-00-251-8766

===== Product Identification =====

Product ID:DOW CORNING S CATALYST  
MSDS Date:09/29/1988  
FSC:5970  
NIIN:00-251-8766  
MSDS Number: BDNWR  
=== Responsible Party ===  
Company Name:DOW CORNING CORPORATION  
Address:3901 S. SAGINAW ROAD  
Box:997  
City:MIDLAND  
State:MI  
ZIP:48640  
Country:US  
Info Phone Num:517-496-5900  
Emergency Phone Num:517-496-5900  
Preparer's Name:JACK L. SHENEBERGER  
CAGE:5D028  
=== Contractor Identification ===  
Company Name:DOW CORNING CORP  
Address:3901 S SAGINAW RD  
Box:997  
City:MIDLAND  
State:MI  
ZIP:48686-0997  
Country:US  
Phone:517-496-6000/517-496-6315  
CAGE:5D028  
Company Name:DOW CORNING CORP  
Address:2200 W SALZBURG RD  
Box:City:AUBURN  
State:MI  
ZIP:48611  
Country:US  
Phone:517-496-4388  
CAGE:71984

===== Composition/Information on Ingredients =====

Ingred Name:DIBUTYL TIN DILAURATE (AS TIN)  
CAS:77-5

8-7  
RTECS #:WH7000000  
Fraction by Wt: 5.0%  
OSHA PEL:S, 0.1 MG/M3  
ACGIH TLV:S, 0.1 MG/M3; 8990

Ingred Name:CALCIUM CARBONATE  
CAS:471-34-1  
RTECS #:FF9335000  
Fraction by Wt: 16.0%  
OSHA PEL:10 MG/CUM,AS T DUST  
ACGIH TLV:10 MG/CUM,AS T DUST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND  
RESPIRATORY  
TRACT,REDNESS OR SWELLING OF EYES,SLIGHT BURNS OF SKIN.  
CHRONIC:IRRITATION,DERMATITIS.  
Explanation of Carcinogenicity:NO DATA PER MSDS  
Effects of Overexposure:IRRITATES SKIN & EYES.  
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

===== First Aid Measures =====

First Aid:EYE AND SKIN:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20  
MINUTES;SEEK MEDICAL HELP IF NEEDED. INHALATION:REMOVE TO FRESH  
AIR. INGESTION:SEEK MEDICAL HELP IMMEDIATELY.

==

===== Fire Fighting Measures =====

Flash Point Method:CC  
Flash Point:>212F/100C  
Extinguishing Media:WATER FOG,DRY CHEMICAL,FOAM.  
Fire Fighting Procedures:SELF CONTAINED BREATHING APP./PROTECTIVE  
CLOTHING.  
Unusual Fire/Explosion Hazard:MAY RELEASE IRRITATING VAPORS DURING  
COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT & CONTAIN  
FOR DISPOSAL.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL & DRY PLACE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED IF THERE IS AN ADEQUATE VENTILATION.

Ventilation:MECHANICAL(GENERAL) IS RECOMMENDED.

Protective Gloves:RUBBER/PLASTIC

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:APRON,EYE-WASH FACILITIES.

Work Hygienic Practices:AVOID CONTACT WITH SKIN AND EYES;WASH  
T

HOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

TLV:0.1MG/CUM BASED ON SN,THE TLV OF SN IS FOR SKIN.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres: