

SULFLO INC -- VV-C-846 BATCO;CUTTING FLUID #60533. -- 9150-00-252-6380

=====  
Product Identification  
=====

Product ID:VV-C-846 BATCO;CUTTING FLUID #60533.

MSDS Date:01/01/1987

FSC:9150

NIIN:00-252-6380

MSDS Number: BDNXW

=== Responsible Party ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Info Phone Num:716-695-3584

Emergency Phone

Num:716-695-3585

Preparer's Name:THOMAS G.MUSILLI

CAGE:1V074

==== Contractor Identification ====

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 88.0%

Other REC Limits:5MG/CUM,AS OIL MIST

Ingred Name:POLYOXYETHYLENESORBITOL OLEATE

CAS:9005-65-6

RTECS #:WG2932500

F

raction by Wt: 1.0%

Ingred Name:SOLUBLE BASE 5400 (KIMES CORPORATION,ALLISON PARK,PA 15101  
Fraction by Wt: 11.0%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:SKIN AND EYES  
IRRITATION;SENSITIZATION OF SKIN OR RESPIRATORY TRACT.  
CHRONIC:IRRITATION  
Effects of Overexposure:MAY CAUSE IRRITATION OF EYES AND SKIN:MAY ALSO  
SENSITIZE SKIN OR RESPIRATORY-TRACT.  
Medical Con  
d Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR 15 MINUTERS,CALL A  
PHYSICIAN. SKIN:WASH WITH SOAP AND WATER. INHALATION:REMOVE TO  
FRESH AIR. INGESTION:DO NOT INDUCE VOMITING;GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:OC  
Flash Point:340F/171C  
Autoignition Temp:Autoignition Temp Text:38  
OF  
Extinguishing Media:WATER SPRAY,WATER FOG,CO\*2,DRY CHEMICAL,FOAM,EARTH  
OR SAND  
Fire Fighting Procedures:NONE NOTED.  
Unusual Fire/Explosion Hazard:NONE NOTED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE  
INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTI

LATED

AREA.KEEP AWAY FROM HEAT,OPEN FLAMES.WASH THOROUGHLY AFTER EACH USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MASHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF ABOVE TLV/PEL.

Ventilation:LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE/RUBBER

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:APRON, RUBBERBOOTS.(FULL SKIN & EYES PROTECTION.

Work Hygienic Practices:AVOID CONTACT WI

TH SKIN AND EYES.DO NOT BREATHE

VAPORS AND MIST.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

MSDS RECEIVED BY DGSC-SLM:MARCH 4,1988.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Spec Gravity:0.93

Solubility in Water:100% ;COMPLETE

Appearance and Odor:FLUID OIL-BLAND

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZER

Stability Conditio

n to Avoid:OPEN FLAMES.

Hazardous Decomposition Products:OXIDES OF CARBON.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants

this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.