

WITCO(DIV IS SOUTHWEST PETRO-CHEM) -- 18819 -- 8030-00-252-8300

===== Product Identification =====

Product ID:18819

MSDS Date:01/01/1987

FSC:8030

NIIN:00-252-8300

MSDS Number: BDNYT

=== Responsible Party ===

Company Name:WITCO(DIV IS SOUTHWEST PETRO-CHEM)

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

CAGE:KO870

=== Contractor Identification ===

Company Name:EXXON CO U

SA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

Company Name:WITCO(DIV IS SOUTHWEST PETRO-CHEM)

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

CAGE:KO870

===== Composition/Information on Ingredients =====

Ingred Name:AMINO METHYL PROPANOL

CAS:2854-16-2

RTECS #:UA6125000

Ingred Name:METHYL ISOBUTYL CARBINOL

CAS:105-30-6

RTECS #:SA717500

Ingred Name:NAPHTHOL SPIRITS

CAS:1321-67-1

RTECS #:QL2350000

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATION TO SKIN & EYES HEADACHE DIZZINESS
NAUSEA

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER 15 MIN CALL PHYSICIAN SKIN:WASH WITH
SOAP & WATER VAPORS:FRESH AIR SWALLOWED:CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:

38C=101F PMCC

Lower Limits:01.0

Upper Limits:06.0

Extinguishing Media:DRY CHEMICAL CO2 FOAM SAND EARTH WATERFOG

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:DENSE SMOKE

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA, USING PROPER PROTECTIVE
EQUIPMENT TRANSFER TO NEW CONTAINER ABSORB RESIDUE WITH PROPER
ABSORBANTS SWEEP UP & DISPOSE AS SOLID WASTE

=====
Exposure Controls/P
ersonal Protection
=====

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER,PLASTIC

Eye Protection:SPLASH GOGGLES,FACE SHEL

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F4

Boiling Pt:B.P. Text:93C=200F

Vapor Pres:005

Vapor Density:3.5

Spec Gravity:0.8732

Solubility in Water:APPRECIABLE

Appearance and Odor:CLEAR LIQUID WITH CHARACTERISTIC ODOR

Percent Volatiles by Volume:30.0

=====
Disposal Considerations
=====

=====

Waste Disposal Methods:PER LOCAL REG'S

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the
suitability of this information to their
particular situation.