

SHORE CHEMICAL -- N-1005 -- 8040-00-262-9062

===== Product Identification =====

Product ID:N-1005  
MSDS Date:01/01/1987  
FSC:8040  
NIIN:00-262-9062  
Kit Part:Y  
MSDS Number: BDQFV  
=== Responsible Party ===  
Company Name:SHORE CHEMICAL  
Address:100 MAIN ST  
City:ALLENHURST  
State:NJ  
ZIP:07711-1131  
Country:US  
CAGE:0FZD5

=== Contractor Identification ===  
Company Name:SHORE CHEMICAL  
Address:100 MAIN ST  
Box:8  
City:ALLENHURST  
Phone:(201)229-5400  
CAGE:0FZD5

Company Name:SHORE-UBS CHEMICAL CO INC  
Address:100 MAIN ST  
Box:City:ALLENHURST  
State:NJ  
ZIP:07711-1131  
Country:US  
Phone:201-531-7300  
CAGE:31711

===== Composition/Information on Ingredients =====

Ingred Name:METALLIC OXIDES  
Fraction by Wt: 0.4%

Ingred Name:RUBBER, NAUTRAL

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingr

ed Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:N-HEPTANE

CAS:142-82-5

RTECS #:MI7700000

OSHA PEL:500 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9293

=====  
===== Hazards Identification =====

Effects of Overexposure:NARCOSSIS AND/OR POSSIBLE HEADACHE OR BRONCHIAL CATARRH.

=====  
===== First Aid Measures =====

First Aid:FRESH AIR-SEE DR.

==

=====  
===== Fire Fighting Measures =====

Flash Point:20F -7C

Lower Limits:1.2

Upper Limits:8.0

Extinguishing Media:DRY CHEMICAL, CO\*2,FOAM, TRICHLOROETHANE

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM OPEN FLAME,SPARKS,HOT SURFACES AND OXIDIZERS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP.

=====  
===== Handling and S

torage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT OR IN DIRECT SUNLIGHT.STORE IN SOLVENT.STORAGE AREA.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST  
Protective Gloves:YES  
Eye Protection:SAFETY GLASSES  
Supplemental Safety and Health  
NATURAL RUBBER ADHESIVE,NIOSH 1001149RA

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:152 F-66C  
Vapor Pres:5.4  
Vapor Density:0.69  
Evaporation Rate & Reference:(BV AC=1) 5.7  
Solubility in Water:NONE  
Appearance and Odor:WHITE  
Percent Volatiles by Volume:93.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Hazardous Decomposition Products:OXIDES OF ZINC AND SULFUR,METHANE GAS,OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:SOLVENT DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.