View NSN Online: https://aerobasegroup.de/nsn/8030-00-264-2063

GC ELECTRONICS -- 10-5802 VINYLITE CEMENT -- 8030-00-264-2063

============ Product Identification ==============

Product ID:10-5802 VINYLITE CEMENT

MSDS Date:01/01/1987

FSC:8030

NIIN:00-264-2063

MSDS Number: BDQHN === Responsible Party ===

Company Name: GC ELECTRONICS

Address:1801 MORGAN ST

Box:1209

City:ROCKFORD

State:IL

ZIP:61105-1209

Country:US

Info Phone Num:815-968-9661

Emergency Phone Num:815-968-9661

CAGE:7 2653

=== Contractor Identification ===
Company Name:GC THORSEN

Address:1801 MORGAN STREET

Box:City:ROCKFORD

State:IL ZIP:61105 Country:US

Phone:815-968-9661

CAGE:72653

======= Composition/Information on Ingredients ========

Ingred Name: VINYL ACETATE RESIN CAS# 9003-20-7

CAS:9003-20-7

RTECS #:AK0920000 Fraction by Wt: 42%

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 58% OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qt

======================================
Effects of Overexposure:DIZZINESS,NAUSEA
======================================
First Aid:FRESH AIR,CALL A PHYSICIAN.IF SWALLOWED,INDUCE VOMITING;EYES:FLUSH WITH WATER FOR 15 MIN;IF IRRITATION PERSISTS,SEE A PHYSICIAN;SKIN:WASH WITH SOAP & WATER.
======================================
Flash Point:-4F,-20C CC Extinguishing Media:CO*2,FOAM Fire F
ighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:KEEP FROM HEAT,FLAME OR SPARKS
======== Accidental Release Measures =========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.SPREAD ABSORBENT MATERIAL OVER AREA.
========== Handling and Storage ===========
Handling and Storage Precautions:DO NOT STORE NEAR HEAT,FLAME OR SPARKS Other Precautions:USE WITH ADEQUATE VENTILATION.
====== Exposu re Controls/Personal Protection =========
Respiratory Protection:N/K(PER MFR) Ventilation:LOCAL EXHAUST,KEEP 1 Spec Gravity:0.79
Evaporation Rate & Evaporation R
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT,SPARKS,FLAME
====== Disposal Considerations =====

y:5000 LBS

===========

Waste Disposal Methods:ACCORDING TO LOCAL REGULATIONS;INCINERATE.DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.