

SHELL CHEMICAL COMPANY -- ETHYL ALCOHOL -- 6810-00-264-5906

=====  
Product Identification  
=====

Product ID:ETHYL ALCOHOL

MSDS Date:01/01/1987

FSC:6810

NIIN:00-264-5906

MSDS Number: BDQLF

=== Responsible Party ===

Company Name:SHELL CHEMICAL COMPANY

Address:1 SHELL PLAZA

Box:2463

City:HOUSTON

State:TX

ZIP:77001

Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-9461

CAGE:86961

=== Co

ntractor Identification ===

Company Name:SHELL CHEMICAL COMPANY A DIV. OF SHELL OIL CO.

Address:1 SHELL PLAZA

Box:2463

City:HOUSTON

State:TX

ZIP:77001

Country:US

Phone:713-473-9461

CAGE:86961

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 100%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

=====  
Hazards Identification  
=====

Effects of Overexposure:IRRITATION O

F EYES & RESPIRATORY  
TRACT,FATIGUE,NAUSEA,NARCOSIS

=====  
First Aid Measures  
=====

First Aid:IRRIGATE EYES W/WATER. WASH SKIN W/SOAP & WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:55F/12.8C/TCC

Lower Limits:4.3

Upper Limits:19

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,ALCOHOL FOAM,STEAM

Fire Fighting Procedures:AS APPROPRIATE FOR FLAMMABLE,WATER-SOLUBLE  
LIQUID

=====  
Accidental Release  
Measures  
=====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL  
DAMAGE. STORE INDOORS IN WELL-VENTILATED AREA. ELIMINATE SOURCES OF  
STATIC ELECTRICITY.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF NECES,CHEM CARTRIDGE RESPIR.

Ventilation:ADEQUATE TO KEEP VAPOR CONC BELOW TLV

Pr

otective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:RUBBER BOOTS & APRON

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:F2

Boiling Pt:=77.8C, 172.F

Vapor Pres:44

Vapor Density:1.6

Spec Gravity:0.79

Evaporation Rate & Reference:1.6 (NBUAC=1)

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS,MOBILE LIQUID,PLEASANT ODOR

Percent Volatiles by Volume:100

=====  
Stability and Reactivity Data  
=====

=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS.

Stability Condition to Avoid: EXTREME HEAT, SOURCES OF IGNITION

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATION

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.