View NSN Online: https://aerobasegroup.de/nsn/6810-00-264-6619

Product ID:OXALIC ACID MSDS Date:01/01/1985 FSC:6810 NIIN:00-264-6619 MSDS Number: BDQSY === Responsible Party === Company Name: ALLIED CHEMICAL CORP. Emergency Phone Num:201-455-2000 CAGE:1L168 === Contractor Identification === Company Name: ALLIED CHEMICAL COMPANY Box:1087R CAGE:1L168 Company Name: ALLIED-SI **GNAL INC** Address:Box:2332R City:MORRISTOWN State:NJ ZIP:07962-2332 Country:US Phone:201-455-4414 CAGE:1L164

Ingred Name:OXALIC ACID CAS:144-62-7 RTECS #:RO2450000 Fraction by Wt: >99% OSHA PEL:1 MG/M3/2 STEL ACGIH TLV:1 MG/M3/2 STEL; 9192

Effects of Overexposure:EYES,SKIN,INHALE:CAUSES IRRITATION. INGESTION:VERY TOXIC, CORROSIVE POISON.

First Aid:EYES: IMMEDIATELY FLUSH W H*20,GET MEDICAL ATTN;SKIN:FLUSH W H*20;INHALED:GIVE ART RESPIR IF NEEDED,GET MED ATTN;INGESTED:DRINK H*20, DO NOT INDUCE VOMITING, GET MEDICAL ATTN. Flash Point:SEE ADD DATA Extinguishing Media:H*2O SPRAY, DRY CHEM., ALCOHOL FOAM, OR CO*2. Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP., & GOGGLES. **Unusual Fire/Explosion Haz** ard: IF MOLTEN, H*20 OR FOAM MAY CAUSE FROTHING. RELEASES FORMIC ACID, CO, & CO*2 AT FIRE TEMPERAT Spill Release Procedures: ELIMINATE FLAME/IGNITION SOURCES.SM SPILL: SWEEP UP MATL. LG SPILL*SHOVEL MATL INTO CONTAINERS. AVOID DUSTING.NOTE: PRODUCT IS TOXIC. Handling and Storage Precautions: STORE IN COOL, DRY, WELL-VENTILATED AREA, AWAY FROM ANY ACUT E FIRE HAZARDS.OUTSIDE STORAGE PREFERRED. KEEP AWAY FROM FOODSTUFFS. Other Precautions: NO SMOKING OR EATING WHEN HANDLING PRODUCT. CONTACT W EYES MAY CAUSE CORNEAL DAMAGE. SEE NATIONAL SAFETY COUNCIL DATA SHEET D-406, "OXALIC ACID". Respiratory Protection: FUME OR HIGH EFF PARTICULATE RESPIR. Ventilation: PROVIDE ADEQUATE EXHAUST TO MAINTAIN LOW DUST, LOW MIST. Protective Gloves: RUBBER Eve Protection: CHEM SAFETY GOGG LES Other Protective Equipment: RUBBER ARPON, FACE SHIELD, CLOTHING TO AVOID SKIN CONTACT Supplemental Safety and Health SYNONYMS: ETHANEDIOIC ACID; OXALIC ACID DIHYDRATE. SUBLIMES AT BOILING POINT. ITEM IS CLASS (LARGE CRYSTALS)IN SPECIFICATION. LD50(ORL-RAT)IS 375MG/KG. HCC:C3 Boiling Pt:B.P. Text:30SF, 150C Spec Gravity:1.653

=====

Solubility in Water: APPRECIABLE

Appearance and Odor:COLORLESS, ODORLESS CRYSTALS.

Stability Indicator/Materials to Avoid:YES

- AVOID OXIDANTS, CHLORITES, HYPOCHLORITES, FURFURYL ALC., SILVER Stability Condition to Avoid: COMBUSTIBLE SOLID AT 215F; DECOMPOSES 300-320F.
- Hazardous Decomposition Products:FORMIC ACID, CO,CO*2 REPORTED AT FIRE TEMPERATURE.

- Waste Disposal Methods:DO NOT SEWER. SM & LG SPILL*DEPOSIT IN POSTED TOXIC SUBSTANCE LANDFIL
- L IN COMPLIANCE WITH LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for th e suitability of this information to their particular situation.