

SULFLO INC -- VV-C-846A-TYPE I;CODE #60060-5A -- 9150-00-265-9405

=====
Product Identification
=====

Product ID:VV-C-846A-TYPE I;CODE #60060-5A

MSDS Date:01/01/1988

FSC:9150

NIIN:00-265-9405

MSDS Number: BDRFB

=== Responsible Party ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Info Phone Num:716-695-3585

Emergency Phone Num:716-6

95-3585

Preparer's Name:THOMAS G. MUSILLI

CAGE:1V074

=== Contractor Identification ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 85.0%

Other REC Limits:5MG/CUM,AS OIL MIST

Ingred Name:SODIUM SULFONATE

CAS:68608-26-4

Fraction by Wt: 10.0%

Ingred Name:WATER

CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 2.0%

Ingred Name:TALL OIL-SODIUM SALT
CAS:65997-01-5
Fraction by Wt: 2.0%

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 1.0%
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:MILD IRRITATION OF EYES &
SKIN;NO FURTHER DATA IS GIVEN. CHRONIC:NO DATA AVA
ILABLE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER,SEEK MEDICAL HELP. SKIN:WASH
WITH SOAP & WATER. INHALATION:REMOVE TO FRESH AIR.CALL A PHYSICIAN.
INGESTION:SEEK MEDICAL HELP AT ONCE.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:350F/177C
Autoignition Temp
:Autoignition Temp Text:390F
Extinguishing Media:WATERFOG,CO*2,FOAM DRY CHEMICAL.
Fire Fighting Procedures:NONE NOTED:USE NIOSH/MSHA APPROVED SCBA IN AN
ENCLOSED AREA.
Unusual Fire/Explosion Hazard:NONE NOTED:USE REASONABLE CARE.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:SWEEP UP OR
SCOOP UP FREE MATERIAL.USE SUITABLE ABSORBENT MATERIAL AND RECOVER
FOR PROPER DISPOSAL.

=====
Handling
=====

and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR ORGANIC VAPORS/MIST IF ABOVE TLV/PEL.

Ventilation:LOCAL EXHAUST/GENERAL TO MAINTAIN TLV/PEL.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGGLES/FACE SHIELD

Other Protective Equipment:EYE-WASH,APRON

Work Hygienic Practices:AVOID CONTACT WITH

EYES AND SKIN.DO NOT BREATHE

VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Spec Gravity:0.92

Solubility in Water:DATA IS NOT CORRECT

Appearance and Odor:FLUID OIL-BLAND

Percent Volatiles by Volume:2.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avo

id:EXTREME HEAT.

Hazardous Decomposition Products:CO & CO*2 IF INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implie

d, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.