

ROYAL LUBRICANTS COMPANY,INC. -- ROYCO 808J (LUBRICATION OIL) -- 9150-00-270-4057

=====
Product Identification
=====

Product ID:ROYCO 808J (LUBRICATION OIL)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-270-4057

MSDS Number: BDRQT

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY,INC.

Emergency Phone Num:(201)887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANT

S COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL

Fraction by Wt: UNKN

ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:SLIGHT TO MODERATE IRRITATION TO THE SKIN AND EYES

=====
First Aid Measures
=====

First Ai

d:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====
Fire Fighting Measures
=====

Flash Point:305F

Extinguishing Media:CO*2 DRY CHEMICAL POWDER,OR FOAM EXTINGUISHERS

Fire Fighting Procedures:DO NOT USE WATER JETS.USE AIR SUPPLIED BREATHING EQUIPMENTS.

Unusual

Fire/Explosion Hazard:NONE DESCRIBED BY THE MFR.
S.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB WITH CLAY,DIATOMACEOUS EARTH,OR OTHER INERT ABSORBENT.SHOULD NOT CONTAMINATE DRAINAGE SYSTEMS,RIVERS OR WATER WAYS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICITION. KEEP CONTAINERS CLOSED.

Other Precautions:WASH HANDS THOROUGHLY WITH SOAP AND WARM WATER BEFORE HANDLING FOOD OR SMOKING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Supplemental Safety
and Health

MSDS IS UNDATED.ITEM IS ENTERED AS PART NO INDICATOR B BECAUSE FLASH POINT IS DIFFERENT P/N IS DIFFERENT-APPEARS TO BE FORMULATION CHANGE.

=====
Physical/Chemical Properties
=====

HCC:V6

Boiling Pt:B.P. Text:+700

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS LIQUID OXYGEN

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:FOR

MS SMOKE,FUMES, CO

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED BURNING. IR DISPOSAL CONFORMING TO LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.