

CHEMICAL COMMODITIES -- RINSING SOLUTION,WATCH -- 6850-00-270-9971

===== Product Identification =====

Product ID:RINSING SOLUTION,WATCH

MSDS Date:01/01/1985

FSC:6850

NIIN:00-270-9971

MSDS Number: BDRVG

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:714-864-2310

Emergency Phone Num:714-864-231

0

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC HYDROCARBON

Fraction by Wt: 100%

ACGIH TLV:500 PPM

===== Hazards Identification =====

Effects of Overexposure:EYES:CAN CAUSE SEVERE

IRRITATION,REDNESS,TEARING,BL

URRED VISION,SKIN
IRRITATION,DEFATTING,NAUSEA,ETC

=====
First Aid Measures
=====

First Aid:SKIN:THOROUGHLY WASH EXPOS D AREA W/SOAP & WATER;REMOVE
CONT.CLOTHING;LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.EYES:FLUSH
W/LARGE AMTS OF WATER,GET MEDICAL ATTENTION.IF SWALLOWED:DO NOT
INDUCE VOMITI NG,KEEP WARM,IF BREATHED:REMOVE TO AIR.

=====
Fire Fighting Measures
=====

Flash Point:95F
Lower Limits:1.0
Extingui
shing Media:FOAM OR CO*2
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS W/FULL FACE
PIECE(POS.MDE
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR & MAY TRAVEL
ALONG THE GROUND OR BE MOVED BY VENTIL.& IGNITED BY HT.

=====
Accidental Release Measures
=====

Spill Release Procedures:SMALL SPILL:ABSORB LIQUID ON
PAPER,VERMICULITE,FLOOR ABSORBENT,OR OTHER ABSORBENT MATERIAL &
TRANSFER TO HOOD

=====
Handling and Stor
age
=====

Handling and Storage Precautions:CONTAINERS OF THIS MATERIAL MAY BE
HAZARDOUS WHEN EMPTIED.SINCE EMPTIED CONTAINERS RETAIN PRODUCT
RESIDUES(VAPOR,LIQUID,&/OR SOLID).PUT IN COOL, D.ARE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF TLV IS EXCEEDED,A NIOSH/MESA JOINTLY APPROVED
SELF-CONT.BREATHER.
Ventilation:LOCAL EXHAUST TO PROVIDE SUFFICIENT VENTILATION FOR TLV
REIN
Protective Gloves:BUNA-N
Eye Protect

ion:SAFETY GLASSES

Supplemental Safety and Health

UNUSUAL FIRE & EXPLOSION HAZARDS:VAPORS MAY BE IGNITED BY PILOT LIGHTS,OTHER FLAMES & IGNITION SOURCES AT LOCATIONS DISTANT FROM MATERIAL HANDLING POINT.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:=148.9C, 300.F

Vapor Pres:12

Vapor Density:4.7

Spec Gravity:0.75

Evaporation Rate & Reference:36,ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR,COLORLESS LIQUID

Percent Volatiles

by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIING AGENTS(NITRIC ACID,PERMANGANATES,ETC.)

===== Disposal Considerations =====

Waste Disposal Methods:SMALL SPILLS:ALLOW VOLATILE PORTION TO EVAPORATE IN HOOD.ALLOW ENOUGH TIME FOR VAPORS TO COMPLETELY CLEAR HOOD DUCT WORK.DESTROY REMAINING MATL BY BURNG IN IRON PAN.LARGE SPILL:DESTRY BY LIQ.INCINERAT ION.MATL.COL LON ABSORB.MATL.DEPOS:IN POSTD.TOXIC L

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.