

NONFLUID OIL CORP -- VV-G-671 GRADE 1 -- 9150-00-272-7652

=====  
Product Identification  
=====

Product ID:VV-G-671 GRADE 1

MSDS Date:01/01/1987

FSC:9150

NIIN:00-272-7652

MSDS Number: BDRXJ

=== Responsible Party ===

Company Name:NONFLUID OIL CORP

Emergency Phone Num:(201)344-3451

CAGE:6R581

=== Contractor Identification ===

Company Name:NONFLUID OIL CORPORATION

Address:298 DELANCY ST

Box:City:NEWARK

State:NJ

ZIP:07105-3009

Country:US

CAGE:6R581

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MFR STATES THIS PRDT NOT CONSIDERED HAZ.MTL.IN NORMAL USE  
RTECS #:9999999ZZ

Ingred Name:GRAPHITE AND MINERAL OIL-CALCIUM SOAP.

Fraction by Wt: 100%.

ACGIH TLV:5MG/CUM AS MIST

=====  
Hazards Identification  
=====

Effects of Overexposure:MAY CAUSE SLIGHT SKIN IRRITATION.

=====  
First Aid Measures  
=====

===

First Aid:WASH AFFECTED AREA W/SOAP & WATER/FLUSH EYES W/COPIOUS  
QUANTITIES OF WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:410F,210C COC

Lower Limits:1.

Upper Limits:6.

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT IN ENCLOSED  
AREAS.

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ABSORB ON C



I advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.