

GENERAL ELECTRIC CO -- 23F1273 -- 5910-00-280-7682

===== Product Identification =====

Product ID:23F1273

MSDS Date:01/01/1985

FSC:5910

NIIN:00-280-7682

MSDS Number: BDSML

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO

Address:JOHN ST

City:HUDSON FALLS

State:NY

ZIP:12839

Country:US

Emergency Phone Num:NONE

CAGE:01002

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO CAP

ACITOR PRODUCTS DEPARTMENT

Address:JOHN ST

Box:City:HUDSON FALLS

State:NY

ZIP:12839

Country:US

Phone:518-746-5750

CAGE:01002

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES  
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING

DISORDER(SUP DATA)

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNCONSCIOUS PE RSON VOMIT.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.  
Other Precautions:LARGE CAPACITORS OF 3 LB OR MORE PCB REQUIRE LABELS IN STORAGE,USE & TRANSPORTATION

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RUBBER-IMPERV  
Eye Protection:GOGGLES,FACE SHIELD  
Other Protective Equ  
ipment:FULL CLOTHING TO PREVENT SKIN CONTACT  
Supplemental Safety and Health  
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.

=====  
Physical/Chemical Properties  
=====

HCC:Z3  
Appearance and Odor:LIGHT STRAW COLORED-LIQUID,AROMATIC ODOR.

=====  
Stability and Reactivity Data  
=====

STRONG OXIDIZERS

=====  
Disposal Considerations  
=====

Waste Disposal Methods:CONTROLLED DIS

POSAL REQUIRED-GENERALLY HIGH

TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.