View NSN Online: https://aerobasegroup.de/nsn/5970-00-285-0271

REICHOLD CHEMICALS, INC (STERLING DIVISION) -- 80-394 ELECTR.INSULATING VARNISH T-394A -- 5970-00-285-0271

Product ID:80-394 ELECTR.INSULATING VARNISH T-394A MSDS Date:09/01/1986 FSC:5970 NIIN:00-285-0271 **MSDS Number: BDTLB** === Responsible Party === Company Name: REICHOLD CHEMICALS, INC (STERLING DIVISION) Address:9 OHIO RIVER BLVD City:SEWICKLEY State:PA ZIP:1514 3 Country:US Info Phone Num:(412)766-7600 Emergency Phone Num: (800)423-3003 (EXCEPT NY)SEE SUPPL. CAGE:3A684 === Contractor Identification === Company Name:NU-BRITE CHEMICAL CO INC, STERLING GROUP Address:NINE OHIO RIVER BLVD Box:City:SEWICKLEY State:PA ZIP:15143-2199 Country:US Phone:CHEMTREC 800-424-9300 CAGE:78580 Company Name: REICHOLD CHEMICAL INC Address:525 N BROADWAY Box:13582 **City:WHITE PLAINS** State:NY ZIP:10603-3216 Country:US CAGE:3A684

======== Composition/Information on Ingredi

Ingred Name:MODIFIED PHENOLIC RESIN Fraction by Wt: 30-60%

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 30-60% OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 10-30% OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:SOLICYLANILIDE AS FUNCIDE (TAKEN FROM PREVIOUS HM IS) Fraction by Wt: 10%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE: EYES:IRRITATION; SKIN:IRRITATION OR RASH; INHALATION:IRRITATION OF EYES,NOSE,THROAT,HEADACHE,NAUSEA,VOMIT. CHRONIC:PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE DERMATITIS.DEFEATTING TO SKI N. Effects of Overexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure:NONE NOTED.

===

First Aid:EYES:FLUSH W.WTR FOR 15 MIN.CALL PHYSICIAN;SKIN:WASH W.SOAP & WTR AT ONCE;INHALATION:REMOVE TO WELL VENTILATED AREA.IF DIFFICULTY IN BREATHING GIVE CPR/O*2.GET MEDICAL ATTENTION AT ONCE;INGESTION:DO N OT INDUCE VOMIT.CALL PHYSICIAN AT ONCE.ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

======

Flash Point Method:SCC
Flash Point:42F,5.6C
Lower Limits:2.5
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE OR EXPLODE WHEN HEATED.
======================================

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS SAWDUST,RAGS,PAPER & PLACE IN CLOSED CO NTAINER. USE NON SPARKING TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

Handling and Storage Precautions: AVOID PROLONGED OR REPEATED INHALATION OF SPRAY MISTS AND HEATED VAPORS. AVOID ALL SKIN CONTACT. USE ADEQUATE VENTILATION. AVOID WARM STORAGE&ING. SOURCES Other Precautions: HANDLE AS A FLAMMABLE LIQUID. CONSULT PRODUCT BULLETIN PRIOR TO USING THIS MATERIAL.

======= Exposure Controls/Personal

Protection =========

Respiratory Protection: NIOSH APPROVED RESPIRATOR SHOULD BE WORN TO AVOID BREATHING SPRAY MISTS, HEATED VAPORS OR IF TLV IS EXCEEDED. Ventilation: LOCAL EXHAUST AND GENERAL VENTILATION RECOMMENDED Protective Gloves: CHEM. RESISTANT PLASTIC OR RUBBER Eye Protection: CHEMICAL GOGGLES Other Protective Equipment: AS REQUIRED TO PREVENT SKIN CONTACT. SAFETY SHOWER AND EYEWASH FOUNTAIN. Work Hygienic Practices: WASH HANDS THOROUGHLY BEFORE EATING, SMOKING, USING TOILET FAC ILITIES. Supplemental Safety and Health N.Y. ONLY EMERG.PHONE: (800)442-4844/MFR REPORTED BOIL PT, VAP. PRESS, VAP. DENS AND EVAP RATE OF ISOPROPANOL. HCC:F2 Boiling Pt:B.P. Text:180F,82C Vapor Pres:35 Vapor Density:2.0

Spec Gravity:0.94

Evaporation Rate & amp; Reference:2.83 (BU AC=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER LIQUID-PUNGENT ODOR.

Percent Volatiles by Volume:48

======== Stability and Re

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:WARM STORAGE AND IGNITION SOURCES. Hazardous Decomposition Products:CO,CO*2,OXIDES OF NITROGEN

Waste Disposal Methods:INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information

by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.