

KINDT-COLLINS CO. -- WAX, PARAFFIN, TECHNICAL GRADE AA VV-W-95B -- 9160-00-285-2047  
===== Product Identification =====

Product ID:WAX, PARAFFIN, TECHNICAL GRADE AA VV-W-95B

MSDS Date:01/01/1987

FSC:9160

NIIN:00-285-2047

MSDS Number: BDTMD

=== Responsible Party ===

Company Name:KINDT-COLLINS CO.

Emergency Phone Num:216-252-4122

CAGE:EO495

=== Contractor Identification ===

Company Name:KINDT COLLIN  
S CO

Address:12651 ELMWOOD AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44111-5911

Country:US

Phone:216-252-4122/CHEMTREC 800-424-9300

CAGE:33629

Company Name:KINDT-COLLINS COMPANY

Address:12651 ELMWOOD AVENUE

City:CLEVELAND

State:OH

ZIP:44111

Phone:(216) 252-4122

CAGE:EO495

===== Composition/Information on Ingredients =====

Ingred Name:WAX,PETROLEUM

Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:MOLTEN HOT WAX MA

Y CAUSE BURNS ON CONTACT  
W/SKIN.

=====  
First Aid Measures  
=====

First Aid:SKIN:IMMERSE IN WATER TO COOL EXPOSED AREA. USE ICE IF AVAIL.  
EYE:FLUSH W/LG AMT WATER FOR 15 MIN. GET MED ATTN. INHAL:RMV TO  
FRESH AIR. GET MED ATTN. INGEST: GET MED ATTN.

=====  
Fire Fighting Measures  
=====

Flash Point:430F,221C  
Extinguishing Media:WATER FOG,FOAM,DRY CHEM, CO\*2  
Fire Fighting Procedures:WEAR SCBA, COOL CONTAINERS WITH W  
ATER SPRAY.  
Unusual Fire/Explosion Hazard:WAX WILL FLOAT ON WATER & CAN BE  
REIGNITED ON WATER SERVICE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:MAY BURN,BUT NOT READILY IGNITABLE. LG MOLTEN  
SPILL: WEAR RESP & PROTECT CLTHG AS REQD. SHUT OFF LEAK IF SAFE.  
DIKE & CONTAIN. ALLOW TO COOL & REMOVE AS SOLID. SM SPILL: ALLOW TO  
COOL & REMOVE AS A SO LID.

=====  
Handling and Storage  
=====

Handling a  
nd Storage Precautions:NONE  
Other Precautions:MINIMIZE BREATHING OF VAPORS, FUMES, OR MIST. AVOID  
CONTACT W/HOT MATERIAL.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH APPROVED RESP TO PREVENT OVEREXPOSEURE OF  
MOLTEN BATH.  
Ventilation:LOCAL FOR MOLTEN BATH.  
Protective Gloves:RUBBER  
Eye Protection:GOGGLES/SAFETY GLASSES  
Other Protective Equipment:USE PROTECTIVE CLOTHING AS APPROPRIATE  
Supplemental Safety and Health  
MSDS DATED 1 NOV 85.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>650F,343C

Vapor Pres: