

OCTAGON PROCESS,INC -- P-C-535B,PLATERS'ELECTROCLEANER -- 6850-00-285-4314

=====
Product Identification
=====

Product ID:P-C-535B,PLATERS'ELECTROCLEANER

MSDS Date:01/01/1985

FSC:6850

NIIN:00-285-4314

MSDS Number: BDTNH

=== Responsible Party ===

Company Name:OCTAGON PROCESS,INC

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:2

01-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000

Fraction by Wt: 67.0%

OSHA

PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:CORNEAL BURNS,DEEP SKIN BURNS,IRRITATION OF
RESPIRATORY TRACT,INFLAME LUNGS,BURN MOUTH,NAUSEA,EDEMA.

=====
First Aid Measures
=====

First Aid:IRRIGATE EYES WITH WATER,PREFERABLY WARM,FOR 15 MINUTES.WASH
CONTAMINATED AREAS OF BODY WITH SOAP & WATER.STOMACH WASH,IF
SWALLOWE
D,WITH 5 PERCENT ACETIC ACID,USING CARE NOT TO PERFORATE
THE GASTROINT ESTINAL TRACT,FOLLOWED BY OLIVE OIL.GETDOCTOR.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:IN EVENT OF FIRE,FLOOD WITH WATER,CAREFUL NOT TO
SPLATTER
Fire Fighting Procedures:WILL REACT WITH WATER TO PRODUCE HEAT.AVOID
SKIN CONTACT.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Pr
ocedures:COLLECT & REMOVE WITH BROOM IN A LARGE
BUCKET.DILUTE WITH WATER & NEUTRALIZE WITH 6M-HCL.DRAIN INTO AN
APPROVED AREA WITH SUFFICIENT WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE TO
CONTAINER.STORE IN DRY PLACE.PROTECT AGAINST STORAGE IN MOISTURE &
WATER.SEPARATE FROM ACIDS,METALS,EXPLOSIVES.
Other Precautions:SEPARATE FROM ORGANIC PEROXIDES & EASILY IGNITABLE
MATERIALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MECHANICAL FILTER RESPIRATOR

Ventilation:AS REQUIRED TO CONTROL THE TLV IN AIR.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:FULL FACE SHIELD,RUBBER APRONS & BOOTS

Supplemental Safety and Health

MSDS IS UNDATED.PER SPEC,THE REST OF THE INGREDIENTS ARE

ORG.DETERGENT=.4%, PHOSPHATE AS P*2O*5 5.0% AND SILICATE AS SIO*2
10.0%,CARBONATE,CHLORIDE ETC.

=====

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt.=1390.C, 2534.F

Spec Gravity:2.13

Solubility in Water:COMPLETE

Appearance and Odor:WHITE POWDER OR GRANULES,CAUSTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS,OXIDIZERS,FLAMMABLES,METALS,EXPLOSIVES,ORGANIC PEROXS.

===== Disposal Considerations =====

Waste Disposal Methods:PUT INTO LARGE VESSEL CONTAINING

WATER.NEUTRALIZE WITH HCL.DISCHARGE INTO AN APPROVED DISPOSAL AREA
WITH ABUNDANT AMOUNT OF WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to
verify and

assume responsibility for the suitability of this information to their
particular situation.