

OCTAGON PROCESS, INC. -- CLEANING COMPOUND,GREASE EMULSIFIER -- 6850-00-285-6056

=====
Product Identification
=====

Product ID:CLEANING COMPOUND,GREASE EMULSIFIER

MSDS Date:01/01/1985

FSC:6850

NIIN:00-285-6056

MSDS Number: BDTRH

=== Responsible Party ===

Company Name:OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency

Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

=====
Composition/Information on Ingredients
=====

Ingred Name:FUEL OIL (TYPE NOT SPECIFIED)

Fraction by Wt: UNK

Ingred Name:CRESOL, ALL

ISOMERS (CRESYLIC ACID) (SARA III)

CAS:1319-77-3

RTECS #:GO5950000

Fraction by Wt: UNK

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ALCOHOL (TYPE NOT SPECIFIED)

Fraction by Wt: UNK

Ingred Name:DETERGENT

Fraction by Wt: UNK

=====
===== First Aid Measures =====

First Aid:WASH OFF AFFECTED AREAS WITH COPIOUS AMOUNTS OF WATER. IN
CASE OF CONTACT WITH EYES, WASH WITH WATER, GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:140F CC
Extinguishing Media:WATER
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH PLENTY OF WATER & PUT INTO APPROVED
STORAGE CONTAINERS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:PROTECT CONTAINERS FROM PHYSICAL
DAMAGE. STORE IN COOL, DRY AREA. WEAR SAFETY GOGGLES, RUBBER
GLOVES, APRONS, BOOTS. STORE AWAY FROM ANY FIRE HAZARDS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:AS REQUIRED TO CONTROL MIST IN AIR.
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Supplemental Safety and Health
ITEM IS TYPE II OF FEDERAL SPECIFICATION P-C-444.

=====
===== Physical/Chemical Properties =====

HCC:V4
Spec Gravity:0.98
Solubility in Water:COMP

LETE

Appearance and Odor:DARK LIQUID- SLIGHT PHENOL ODOR.

Percent Volatiles by Volume:-10

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:SPRAY INTO AN INCINERATOR UNDER APPROVED
CONTROLLED PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.