View NSN Online: https://aerobasegroup.de/nsn/8010-00-286-7749

PRATT AND LAMBERT -- ENAMEL ALKYD GLOSS GRAY 16187 -- 8010-00-286-7749

Product ID: ENAMEL ALKYD GLOSS GRAY 16187

MSDS Date:01/01/1987

FSC:8010

NIIN:00-286-7749

MSDS Number: BDTXP === Responsible Party ===

Company Name: PRATT AND LAMBERT

Address:16116 E 13TH ST

Box:2153 City:WICHITA

State:KS ZIP:67201 Country:US CAGE:61196

=== Contractor Identification ===

Company N

ame:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027 Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL SPIRITS

CAS:64475-85-0 RTECS #:PY8240000 ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7 RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:X

OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293
Ingred Name:IRON OXIDE CAS:1309-37-1 RTECS #:NO7400000 OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE),B2; 9293
======================================
Effects of Overexposure:PNEUMOCONIOSIS,PERMANENT NERVOUS SYSTEM DAMAGE,INTERNAL ORGAN DAMAGE.DELIBERATE INHALATION HARMFUL.
======================================
First Aid:INGESTION:GET IMMEDIATE MEDICAL ATTENTION.INHA LATION:REMOVE TO FRESH AIR.RESTORE BREATHING.KEEP WARM AND QUIET.CONSULT PHYSICIAN.EYES:15 MINUTE WATER FLUSH.CONSULT PHYSICIAN.SKIN:REMOVE CONTAMINATED C LOTHING.WASH SKIN WITH SOAP & WATER.
======================================
Flash Point:80F,27C Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,ALCOHOL,POLYMER FOAMS. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPAR.WATER-FOG TO COOL CONTAINERS. Unusual Fire/Explosion Hazard:CONTAINER EXP LOSION HAZARD DUE TO EXTREME HEAT,EXPOSURE TO SOURCES OF IGNITION.
Flash Point:80F,27C Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,ALCOHOL,POLYMER FOAMS. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPAR.WATER-FOG TO COOL CONTAINERS. Unusual Fire/Explosion Hazard:CONTAINER EXP LOSION HAZARD DUE TO EXTREME
Flash Point:80F,27C Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,ALCOHOL,POLYMER FOAMS. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPAR.WATER-FOG TO COOL CONTAINERS. Unusual Fire/Explosion Hazard:CONTAINER EXP LOSION HAZARD DUE TO EXTREME HEAT,EXPOSURE TO SOURCES OF IGNITION.

R2275000

Handling an

d Storage Precautions: DO NOT STORE ABOVE 120 F. STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106.CLOSE CONTAINER AFTER USE.DO NOT BREATHE FUMES, SANDING PARTICLES. Other Precautions: DO NOT WELD, CUT OR BRAZE EMPTY CONTAINER. DO NOT CLEAN AND RE-USE CONTAINER.DO NOT USE PRESSURE TO EMPTY CONTAINER.GROUND AND BOND CONTAINER TO RECEIVING VESSEL. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NIOSH APPROVED CHEMICAL/MECHANICAL FILTE RESPR; AIR SUPPLIED RESPR. Ventilation:LOCAL VENTILATION/EXHAUST TO REMOVE DECOMPOSITION **BYPRODUCTS** Protective Gloves: SOLVENT RESIST. Eye Protection: FACE SHIELD; SHIELDED SPEC Other Protective Equipment:PROTECTV EQPMT TO PRVNT SKN CONTCT.SE OSHA,29 CFR 1910.1025 Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:F4 Boiling Pt:B.P. Text:193F,89C Vapor Density:>AIR Evaporation Rate & Deference: SLOWER THAN ETHER Percent Volatile s by Volume:58 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG ACIDS, ALKALINES, OXIDIZERS. Stability Condition to Avoid: EXCESSIVE HEAT. SOURCES OF IGNITION. Hazardous Decomposition Products:CO,CO*2,SMOKE FROM IGNITION Conditions to Avoid Polymerization: DO NOT ADD DRIERS OR REACTIV CHEM W/O TECHN SUPERVISION.

======= Disposal Considerations ===========

Waste Disposal Methods: DO NOT INCINERATE CLOSE

D CONTAINERS.DISPOSE OF IN ACCORDANCE WITH EPA,LOCAL,STATE AND FEDERAL REGULATIONS FOR FLAMMABLE,HAZARDOUS WASTES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent p rofessional advice to verify and assume responsibility for the suitability of this information to their particular situation.