

PRAXAIR INC -- 742310 ENAMEL ALKYD GLOSS YELLOW 13538 -- 8010-00-286-7758

=====
Product Identification
=====

Product ID:742310 ENAMEL ALKYD GLOSS YELLOW 13538

MSDS Date:01/01/1987

FSC:8010

NIIN:00-286-7758

MSDS Number: BDTXT

=== Responsible Party ===

Company Name:PRAXAIR INC

Address:39 OLD RIDGEBURY RD

Box:2153

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:203-794-5782

Emergency

Phone Num:203-794-5782

CAGE:0LV01

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name:PRAXAIR, INC.

Address:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR
1910.1025),(CRO3 CEILING 0.

1 MG/M3)
CAS:7758-97-6
RTECS #:GB2975000
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.05MG/M3(CR)A2;8990

Ingred Name:*MINERAL SPIRITS
CAS:64475-85-0
RTECS #:PY8240000
ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:LEAD COMPOUNDS
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3 (PB);8990

=====
===== Hazards Identification =====
=====

Effects of Overexposure:SWALLOW:GASTROINTESTINALIRRIT,
NAUSEA,VOMIT,DIARRHEA.MATRL INTO LUNGS CAN CAUS FATAL PNEUMONITIS

=====
===== First Aid Measures =====

First Aid:IF SWALLOW:INDUCE VOMITING IMMED BY GIVING 2 GLASSES OF WATR
& STICKING FINGR DOWN THROAT.CONSULT DR OR POISON CONTROL CENTR
IMMED. (NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSN)
INHAL:REMOV T O FRESH AIR IMMEDIATELY.

=====
===== Fire Fighting Meas
ures =====

Flash Point:80F 27C
Extinguishing Media:CL B FIRES:CO*2, DRY CHEMICAL OR ALCOH FOAM.
Fire Fighting Procedures:SELF-CONTND BREATHING APPARAT. WATR TO COOL
EXPOS CONTNRS
Unusual Fire/Explosion Hazard:CONTNRS TIGHTLY CLOS.ISOLAT FR
HEAT,ELECTR EQPMT,SPARKS & FLAME.MAY EXPLOD IF EXPOS TO EXTREME
HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAYELIMINATE ALL IGNITION
SOURCES (FLAMES,HO

T SURFACES, & SOURCES OF ELECTRICAL,STATIC OR FRICTIONAL SPARKS).DIKE & CONTAIN SPILL W/INERT MATRL(E.G. SAND, EARTH).TRANSFR LIQDS TO COVE R METAL CONTNR F/RECOVRY OR DISPOSL,REMOV W/INERT

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.106.

Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTNR AFTER EACH USE. KEEP AWAY FROM CHILDREN.DO NOT BREATH

E SANDING DUST.WASH HANDS &

FACE THOROUGHLY BEFORE EATING OR DRINKING.EMPTY CONTNRS MUST NOT BE REUSED.

=====
===== Exposure Controls/Personal Protection =====

Ventilation:LOC EXHAUST VENTILATION TO REMOV DECOMPOSITION BY PRODUCTS.

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACLES W/SIDE

Other Protective Equipment:AS REQD TO PREVNT SKIN CONTCT.SEE OSHA STANDARD FOR LEAD.

Supplemental Safety and Health

*INDICATES SOLVENT. HAZARDOUS DECOMP PRODUCTS: IN AD DITION, OXIDES OF LEAD MAY BE GENERATED.

=====
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:193-600F

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:58

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS.

Hazardous Decomposition Products:BURNING,HEAT BY WELDING,CUTTING WILL PROD SMOK,CO & CO*2.(SU

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORD W/FED. STATE & LOC LAWS.CONTAM
ABSORBANT MAY BE DISPOS IN EPA-PERMITTED HAZARDOUS WASTE LANDFILLS.
INCINERATE ONLY NEPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED
CONTAINERS.OBSERV PRECAUTIONS F/FLAMMABLE MATERIAL DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of De
fense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.