

HOHMAN PLATING AND MFG INC -- 26-027 -- 8010-00-286-9072

=====
===== Product Identification =====

Product ID:26-027
MSDS Date:01/01/1985
FSC:8010
NIIN:00-286-9072
MSDS Number: BDTYY
=== Responsible Party ===
Company Name:HOHMAN PLATING AND MFG INC
Address:814 HILLROSE AVE
City:DAYTON
State:OH
ZIP:45404-1132
Country:US
Info Phone Num:513-228-2191 / FAX 513-228-5171
Emergency Phone Num:513-228-2191
CAGE:
01094

==== Contractor Identification ===
Company Name:HOFFERS INC PAINT DIV
Address:310 BELLIS ST
Box:777
City:WAUSAU
State:WI
ZIP:54401-6333
Country:US
Phone:715-845-7221
CAGE:60020
Company Name:HOHMAN PLATING AND MFG INC
Address:814 HILLROSE AVE
Box:City:DAYTON
State:OH
ZIP:45404-1132
Country:US
Phone:937-228-2191
CAGE:01094

=====
===== Composition/Information on Ingredients =====

Ingred Name:PIGMENTS
Fraction by Wt: 50%

Ingred Name:VEHICLE
Fraction by Wt: 16.3%

Ingred Name:SOLV

ENTS
Fraction by Wt: 32%
ACGIH TLV:200 PPM

Ingred Name:ADDITIVES
Fraction by Wt: 1.7%

Ingred Name:LEAD (SARA III)
CAS:7439-92-1
RTECS #:OF7525000
Fraction by Wt: .08%
OSHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

Effects of Overexposure:EYE IRRITATION, DRYING OF SKIN; HEADACHES,
DIZZINESS

=====
First Aid Measures
=====

First Aid:FL
USH EYES WITH WATER, WASH SKIN WITH MILD SOAP AND WATER;
REMOVE TO FRESH AIR.

=====
Fire Fighting Measures
=====

Flash Point:90F, 32.2C TCC
Lower Limits:.9
Upper Limits:6
Extinguishing Media:H2O, C02, FOAM, DRY CHEMICAL
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SOURCES OF IGNITION ARE OR CONTAINER

=====
Handling and

Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME. USE WITH ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS
Ventilation:LOCAL EXHAUST
Protective Gloves:NO
Eye Protection:NO
Other Protective Equipment:NO
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:253F
,122.8C
Vapor Pres:12
Vapor Density:>AIR
Spec Gravity:1.290
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK LIQUID
Percent Volatiles by Volume:70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME
Hazardous Decomposition Products:CO

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDE SAFE CONDITIONS OR DISPOSE O F IN
ACCORANCE WITH REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this inf

ormation to their
particular situation.