

MAKOOR PRODUCTS CO -- ZINC DUST PETROLATUM ANTISEIZE -- 8030-00-292-1102

=====
Product Identification
=====

Product ID:ZINC DUST PETROLATUM ANTISEIZE

MSDS Date:01/01/1987

FSC:8030

NIIN:00-292-1102

MSDS Number: BDVPL

=== Responsible Party ===

Company Name:MAKOOR PRODUCTS CO

Emergency Phone Num:516-727-4445

CAGE:60115

=== Contractor Identification ===

Company Name:MAKOOR PRODUCTS MFG CO INC

Address

:4195 MIDDLE COUNTRY RD

Box:City:CALVERTON

State:NY

ZIP:11933

Country:US

Phone:516-727-4445

CAGE:60115

=====
Composition/Information on Ingredients
=====

Ingred Name:ZINC (SARA III)

CAS:7440-66-6

RTECS #:ZG8600000

OSHA PEL:10 MG ZNO/M3

ACGIH TLV:10 MG ZNO/M3; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PETROLATUM

ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:NONE NOTED BY MFR.MAY IRRITAT

E EYES OR SKIN ON
PRLONGED CONTACT.

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental
Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.WIPE WITH
ABSORBENT CLOTH AND RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL AND DRY AREA.KEEP
CONTAINER. TIGHTLY CLOSED.
Other Precautions:AVOID PROLONGED CONTACT OF EYES AND SKIN.WASH AFTER
EACH USE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection
:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Supplemental Safety and Health
MSDS UNDATED.

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:NA
Spec Gravity:12.5
Evaporation Rate & Reference:0
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GRA

YISH PASTE W GREASE-LIKE CONSISTENCY

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OSIDIZING AGENTS

Stability Condition to Avoid:OXYGEN LINES,ELECTRICAL CONTACTS; THIS IS
ELECTRICAL CONDUCT

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, &
FEDERAL REGULATIONS.

Discl

claimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.