

ROYAL LUBRICANTS COMPANY,INC. -- ROYCO 855 -- 9150-00-292-9689

===== Product Identification =====

Product ID:ROYCO 855

MSDS Date:01/01/1985

FSC:9150

NIIN:00-292-9689

MSDS Number: BDVSP

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY,INC.

Emergency Phone Num:(201) 887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

B

ox:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

===== Composition/Information on Ingredients =====

Ingred Name:LUBRICATING OIL (PER SPECIFICATION-TYPE UNSPECIFIED)

Fraction by Wt: UNK

Ingred Name:ADDITIVES MIXTURE(CONTAINS OXIDATION/CORROSION  
INHIBITORS)-PER SPECIFICATION

Fraction by Wt: UNK

Ingred Name:TETRA-ALKYL SILICATES

Fraction by Wt: UNK

===== Hazards Identification =====

Effects of Ove

reexposure:SLIGHT TO MOD IRRITATION TO SKIN & EYES;KEEP  
MINIMUM CONTACT W/SKIN.OBSERVE GOOD HYGIENE.

=====  
First Aid Measures  
=====

First Aid:INGESTION:DO NOT INDUCE VOMIT.GIVE 1.5 PINT MILK/H\*2O &  
OBTAIN MED ATTN.FOR ASPIRATION-GET MED ATTN;SKIN:WASH W LG AMT  
WATER;EYES:FLUSH W COPIOUS QTY WATER.GET MED ATTN IF IRRIT  
PERSISTS;INHALATION:DO ES NOT GIVE HARMFUL CONC OF VAP EXCEPT AT  
HIGH TEM

=====  
Fire Fighting Measures  
=====

Flash Point:360F (COC)  
Lower Limits:UNK  
Upper Limits:UNK  
Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures:DO NOT USE WATER JETS.USE AIR SUPPLD EQUIP IN  
ENCLOSED AREA.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROTECTIVE EQUIPMENT.ELIMINATE IGNITION  
SOURCES.ABSORB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT  
ABSORBENT.SHOULD NOT CONTAMINATE DRAINAGE SYST  
EMS,RIVERS OR  
WATERWAYS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL DRY PLACE.KEEP  
CONTAINERS TIGHT;MFR NOTES NORMAL PROCEDURES & QUALITY CONTROL  
REQUIREMENTS.  
Other Precautions:WASH HANDS THOROUGHLY WITH SOAP & WARM WATER BEFORE  
HANDLING FOOD OR SMOKING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:AIR SUPPLIED BRATHING EQUIPMENT IF OIL MIST IS  
GENERATED.

Ventilation:NONE NOTED BY MFR.  
Protective Gloves:AS REQUIRED  
Eye Protection:GOGGLES  
Other Protective Equipment:NONE KNOWN  
Supplemental Safety and Health  
MSDS FM MFR UNDATED;NAMES OF INGREDIENTS IAW SPECIFICATION;ITEM OF  
MIL-L-14107C.

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:>400F  
Vapor Pres:UNK  
Vapor Density:UNK  
Spec Gravity:0.8996  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LUBE OIL  
Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS SUCH AS LIQUID OXYGEN.  
Stability Condition to Avoid:EXTREME HEAT  
Hazardous Decomposition Products:FORMS SMOKE,FUMES,CO DURING COMBUSTION  
OR PAST FLASH POINT

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FE  
DERAL,STATE, & LOCAL REGULATIONS.PER MFR,WASTE CAN  
BE DISPOSED OF BY CONTROLLED BURNING.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify a

nd

assume responsibility for the suitability of this information to their particular situation.