

OLIN CORP, WINCHESTER GROUP -- CARTRIDGE,POWDER ACTUATED TOOL;22.0 CALIBER --  
1377-00-294-2512

===== Product Identification =====

Product ID:CARTRIDGE,POWDER ACTUATED TOOL;22.0 CALIBER

MSDS Date:03/28/1985

FSC:1377

NIIN:00-294-2512

MSDS Number: BDVTY

=== Responsible Party ===

Company Name:OLIN CORP, WINCHESTER GROUP

Address:120 LONG RIDGE ROAD

Box:1355

City:STAMFORD

State:CT

ZIP:06904-1355

Country

:US

Info Phone Num:203-356-2345

Emergency Phone Num:203-356-2345

CAGE:LO221

=== Contractor Identification ===

Company Name:OLIN CORP, WINCHESTER GROUP

Address:120 LONG RIDGE ROAD

Box:1355

City:STAMFORD

State:CT

ZIP:06904-1355

Country:US

Phone:203-356-2345

CAGE:LO221

Company Name:OLIN CORPORATION

Address:501 MERRITT 7

Box:4500

City:NORWALK

State:CT

ZIP:06856-4500

Country:US

Phone:203-750-3000/800-511-MSDS

CAGE:99530

===== Composition/Information on Ingredients =====

Ingred Nam

e:PROPELLANT

Ingred Name:PRIMER

===== Hazards Identification =====

Effects of Overexposure:EYE,SKN:IRRT. INHL,INGEST:HEADACHE,NAUSEA. POSS  
MUTAGEN, TETRATOGEN, POSS REPROD EFFECTS

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE  
VO  
MIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:N/R-EXPLOSIVE C  
Extinguishing Media:FLOOD W/WATER,COOL EXPOSED CASINGS  
Fire Fighting Procedures:EVACUATE AREA.FIGHT FIRE FROM PROTECTION.WEAR  
SCBA PP MODE.  
Unusual Fire/Explosion Hazard:EXPLOSIVE C!

===== Accidental Release Measures =====

Spill Release Procedures:WEAR DUST RESP. EVACUATE AREA, REMOVE IGNITION  
SOURCES. WET DOWN  
SPILLED POWDER,USE SOFT BRISTLE BRUSH,  
NO-SPARKING TOOLS FOR CLEANUP. PLACE IN DISPOSAL CONTAINER WETTED.  
WASH ALL CONTAM CLOTHING BEFO RE REUSE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA.  
AVOID EXCESS HEAT & IGNITION SOURCES. DO NOT INGEST,INHALE FUMES OR  
DUST. AVOID EYE/SKN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ve

ntilation:LOCAL MECHANICAL  
Protective Gloves:NONE  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:EAR PROTECTION DURING DETONATION.  
Supplemental Safety and Health  
INFORMATION FROM MR.ED WARMINSKI PHOE A/V 442-2382.ITEM CONSISTS OF 22  
CALIBER CARTRIDGE,BRASS CASE, #6 LOAD (PURPLE):OTHER RELATED  
NSN#1377-00-294-2508/2509/2510:FOR POWER TOOL HARDWARE  
NSN:5315-00-5 50-8184.

===== Physical/Chemical Properties =====

HCC:E2  
Appearance and Odor:GUNPOWDE  
R IN BRASS CASING, 22 CAL.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO  
ACID,ALKALAI ATMOSPHERES, OXIDIZERS.  
Stability Condition to Avoid:EXPLOSIVE C. HEAT,SHOCK, PRESSURE,  
IGNITION SOURCES.  
Hazardous Decomposition Products:NITROGEN, CARBON OXDES

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED INCINERATION IAW ALL LAWS & REGS.

Disclaimer (provided with this information  
by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.