

PRAXAIR INC -- ENAMEL ALKYD GLOSS GREEN 14064 -- 8010-00-298-2295

=====  
Product Identification  
=====

Product ID:ENAMEL ALKYD GLOSS GREEN 14064

MSDS Date:01/01/1987

FSC:8010

NIIN:00-298-2295

MSDS Number: BDWJS

=== Responsible Party ===

Company Name:PRAXAIR INC

Address:39 OLD RIDGEBURY RD

Box:2153

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:203-794-5782

Emergency Phone Num:203-794

-5782

CAGE:0LV01

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name:PRAXAIR, INC.

Address:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

=====  
Composition/Information on Ingredients  
=====

Ingred Name:\*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,

M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:IRON OXIDE  
CAS:1332-37-2  
RTECS #:NO7380000

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9192

===== Hazards Identification =====

Effects of Overexposure:MATRL INTO LUNGS CAN CAUSE CHEM PNEUMONITIS  
WHICH CAN BE FATAL.INHAL:NAUSEA,UNCONSCIO  
US,EVN ASPHYXIA

===== First Aid Measures =====

First Aid:SWALLOWED:INDUC VOMIT IMMED.GIVNG 2 GLASES OF WATER &  
STICKING FINGER DOWN THROAT.CONSULT DR OR POISON CONTROL CENTR  
IMMED.(NVR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS  
PERSON.)INHAL:REMOV TO FRESH AI R IMMED.IF BREATH HAS STOP,GIVE  
ARTIF RESPIRATION

===== Fire Fighting Measures =====

Flash Point:80F,27C  
Extinguishing Media:CL B FIRE EXTING(CO\*2,ALL  
PURPOS DRY CHEM OR ALCOH  
FOAM)  
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTND BREATHING  
APPARATUS.  
Unusual Fire/Explosion Hazard:KP CONTNRS TIGHTLY CLOS.ISOLAT FR  
HEAT,ELECT EQPMT,SPARKS & FLAME CLOS CONTNRS MAY EXPLOD EXPOS(SUP)

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY.ELIM ALL IGNIT SOURCES  
(FLAMES,HOT SURFACES & SOURCES OF ELECTR,STATIC OR FRICTIONAL  
SPARKS).DIKE & CONTN SPILL W/INER

T MATRL (E.G.SAND,EARTH).TRANSFER  
LIQDS TO COVERED METAL CONT NRS F/RECOVERY OR DISPOS,OR REMOV  
INERTABSBR.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG  
QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.106.  
Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTNR AFTER EACH USE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH APPRVD MECH FILTR RESPI  
R TO REMOV  
OVRSPRAY.  
Ventilation:PROVID GEN DILUT & LOC EXHAUST VENTIL IN SUFFICIENT VOLUME  
Protective Gloves:SOLVNT IMPER ME  
Eye Protection:SAFETY SPECTACLES W/SIDE  
Other Protective Equipment:NOT LIKELY TO BE NEEDED.  
Supplemental Safety and Health  
\*INDICATES SOLVENT. UNUS. FIRE & EXPLOS. HAZ: TO EXTREME HEAT.  
HAZARDOUS DECOMP PRODUCTS: AND CO\*2.

=====  
Physical/Chemical Properties  
=====

HCC:F3  
Boiling Pt:B.P. Text:193-395F  
Vapor Density:HEAV  
Evaporation Rate  
& Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:61

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS OR ALKALINE MATERIALS  
Stability Condition to Avoid:NONE KNOWN  
Hazardous Decomposition Products:BURNING,INCLD WHN HEAT BY  
WELD,CUTTNG,WILL PRODUC SMOK CO(SU

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOS IN ACCORD W/FED,STATE & LOC  
LAWS.INCINERATE

ONLY IN EPA PERMITTED FACILITY.DO NOT INCIN CLOS  
CONTNRS.OBSERV PRECAUTIONS F/DISPOS OF FLAMMBL MATRLS.CONTAMINATED  
ABSORBANT MAY BE DISPOS IN A HAZ WASTE LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any pers  
on utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.