View NSN Online: https://aerobasegroup.de/nsn/8010-00-298-2298 ENMAR -- GRAY 16376;742-618 ENAMEL ALKYD GLOSS -- 8010-00-298-2298 Product ID:GRAY 16376;742-618 ENAMEL ALKYD GLOSS MSDS Date:01/01/1985 FSC:8010 NIIN:00-298-2298 MSDS Number: BDWJX === Responsible Party === Company Name: ENMAR Address:201 N BERRY ST City:BREA State:CA ZIP:92621-3904 Country:US **CAGE:**OO111 === Contractor Identification === Company Name: AMERON INDUS TRIAL COATINGS DIVISION Address: 201 N BERRY ST Box:City:BREA

State:CA

ZIP:92621-3904 Country:US

Phone:714-529-4597

CAGE:09869

Company Name: ENMAR Address: 201 N BERRY ST

Box:City:BREA

Phone: (316)-7333-1361

CAGE:00111

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000 Fraction by Wt: 42.6% OSHA PEL:100 PPM

========= Hazards Identification =============

Effects of Overexposur

CNS DEPRSSN W/HDACHE,DIZ,UNCON,COMA. SKIN & EYE:IRRIT.
======================================
First Aid:IN CASE OF CONTACT, FLUSH SKIN & EYES W/PLENTYOF WATER WHILE REMOVING CONTAMINATED CLOTHING. IF INHALED, REMOVE TO FRESH AIR. CALL A PHYSICIAN IF SYMPTOMS PERSIST.
======================================
Flash Point:85F TCC Lower Limits:1.1 Extinguishing Media:SM FIRES:CO*2 DRY CHEM. LG FIRES:POLYMER FOAM PREFERRED Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS. Jnusual Fire/Explosion Hazard:CLOSED CONTANERS EXPOSED TO HEAT MAY EXPLODE DUE TO PRESSURE BUILD-UP
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAME, HOT SURFACES, & ELECTRICAL,STATIC, OR FRICTIONAL SPARKS).AVOID BREATHING VAPORS. VENTILATE AREA.REMOVE W/INERT ABSORBENT & NON-SPARING TO DLS.
======================================
Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG QTY IN BLDG DESIGNED TO STORE NFPA CLASS ONE FLAM LIQ. DO NOT TAKE INTERNALLY.ADD LABEL WARNING.  Other Precautions:GROUND CONTAINERS WHEN POURING.AVOID FREE FALL OF LIQ. IN EXCESS OF FEW IN.DO NOT FLAME CUT, BRAZE OR WELD COATED MATERIAL W/O APPROVED RESPIRATOR OR APPROPRIATE VENTILATION. DOT:FLAM LIQUID.
Exposure Control
Respiratory Protection: RESTRICT VENT: CHEM-MECH FLTR. CLSD: AIR-LINE TYPE.
Ventilation:GEN DILTN/LOCAL EXHST TO KEEP TLV/LEL BELOW LIMIT, REMV FUME Protective Gloves:YES
Eye Protection:YES, FOR SPLASH  Other Protective Equipment:AVOID LONG EXPOSURE TO CONTAMINATED  CLOTHING.  Supplemental Safety and Health
VAPOR PRESSURE:3.2;VAPOR DENSITY:HEAVIER THAN AIR;WT PER GALLON:9.1 LBS.
======================================

e:INH:ANESTHETIC, IRRIT OF RESP TRACT OR ACUTE

Evaporation Rate & Dercent Volatiles by Volume:60.4
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:AVOID FIRES, HEAT & HOT SURFACES.
======== Disposal Considerations ==============

Waste Disposal Methods:DO NOT INCINERATE CLOSED CONTAINER. DISPOSE IN ACCORDANCE W/FED.,STATE & LOCAL REGULATIONS.

## Disclaimer

HCC:F3

Boiling Pt:B.P. Text:311-373F

(provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.