

KOPPERS CO. INC. -- A-1192-154/GRAY -- 8010-00-410-8465

=====
Product Identification
=====

Product ID:A-1192-154/GRAY
MSDS Date:01/01/1985
FSC:8010
NIIN:00-410-8465
Kit Part:Y
MSDS Number: BDYCY
=== Responsible Party ===
Company Name:KOPPERS CO. INC.
Address:3000 KOPPERS BLDG
City:PITTSBURGH
State:PA
ZIP:15219-1818
Country:US
CAGE:GO941

==== Contractor Identification ====
Company Name:KOPPERS CO IN
C
Address:3000 KOPPERS BLDG
Box:City:PITTSBURGH
State:PA
ZIP:15219-1818
Country:US
CAGE:80592
Company Name:KOPPERS CO. INC.
Address:KOPPERS BLDG
Box:City:PITTSBURGH
State:PA
ZIP:15219-1818
Country:US
CAGE:GO941

=====
Composition/Information on Ingredients
=====

Ingred Name:N-BUTYL ALCOHOL
ACGIH TLV:50 PPM

Ingred Name:POLYAMIDE

=====
Hazards Identification
=====

Effects of Overexposure:EYE,THROAT,SKIN,LUNG IRRITANT

=====

First Aid Measures =====

First Aid:WASH SKIN THOROUGHLY, FLUSH EYES WITH WATER, REMOVE TO FRESH AIR, REMOVE CONTAMINATED CLOTHING, GIVE ARTIFICIAL RESPIRATION IF NEEDED, CALL DOCTOR, DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point:99F,37.2 C CC
Extinguishing Media:FOAM,DRY CHEMICAL,FOG,CO2,WATER SPRAY
Unusual Fire/Explosion Hazard:AVOID FIRE, HEAT, SPARKS, IGNITION SOURCES,DIRECT SUNLIGHT

=====
=== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, KEEP FROM FLAME, FIRE, SPARKS, IGNITION SOURCES. DO NOT BREATHE VAPORS; MECHANICALLY VENTILATE; CLEAN UP WITH ABSORBENT MATERIAL

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED, UPRIGHT, AWAY FROM FIRE, FLAME, SPARKS, IGNITION SOURCES,DIRECT SUNLIGHT
Other Precautions:DO NOT USE IN CONFINED AREAS

===== E
xposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST
Protective Gloves:GLOVES,RUBBER
Eye Protection:GOGGLES
Supplemental Safety and Health
2 COMPONENT SYSTEM FORMULA 154, COMPOSITION A.KEY1:F4.

===== Physical/Chemical Properties =====

HCC:F4
Vapor Density:>AIR
Spec Gravity:10.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GRAY VISCOUS LIQUID
Percent Volatiles by Volume:58.0

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.