

ROYAL LUBRICANTS COMPANY INCORPORATED. -- ROYCO 71 -- 9150-00-419-0628

=====  
Product Identification  
=====

Product ID:ROYCO 71

MSDS Date:01/01/1987

FSC:9150

NIIN:00-419-0628

MSDS Number: BDYKG

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INCORPORATED.

Emergency Phone Num:(201)887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:

215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: 22%.

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====

First Aid Measures =====

First Aid:EYES:-WASH IMMEDIATELY WITH WATER FOR 15 MINUTES,SKIN:-RASHES MAY OCCUR AFTER PROLONG CONTACT,KEEP CLEAN & WASH WITH SOAP & WATER,IF REQD SEEK MEDICAL ADVICE. IN CASE OF INGESTION, DO NOT INDUCE VOMIT ING.GET MEDICAL ADVICE.

===== Fire Fighting Measures =====

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP,DO NOT USE WATER JETS.

Unusual Fire/Exp

losion Hazard:NONE NOTED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN-UP WITH METAL SCRAPERS & RAGS.SPREAD DRY SAND OR MINERALS ABSORBENT OVER REMAINING GREASE. USE PERSONAL PROTETIVE CLOTHING IF NEEDED

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT.

KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

UPDATE PER NON-OSHA UNDATED MSDS RECD 3SEP85.

===== Physical/Chemical Properties =====

HCC:V6

Boiling P

t:B.P. Text:600F/316C

Evaporation Rate & Reference:3.5% AT 350F,22 HR

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK GREASE, MELTING POINT 510F.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO\*2, H\*2O.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP

IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
docume

nt should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.