

ROYAL LUBRICANTS CO,INC. -- ROYCO 71 -- 9150-00-419-0629

=====  
Product Identification  
=====

Product ID:ROYCO 71

MSDS Date:01/01/1985

FSC:9150

NIIN:00-419-0629

MSDS Number: BDYKJ

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO,INC.

Emergency Phone Num:201-887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EA

ST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====  
Composition/Information on Ingredients  
=====

Ingred Name:GREASE,COMMON LUBRICATING.

Fraction by Wt: 100%

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====  
First Aid Measures  
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.

INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP. DO NOT USE WATER JETS.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. STOP LEAK. H\*2O SPRAY TO COOL CONT/DIVERT SPILL FROM FIRE/H

EAT. PROVIDE

VENTILATION. ABSORB W COMMERCIAL ABSORBENT, SHOVEL INTO METAL DRUMS.

LG SPILL:DIKE W COMMERCIAL ABS ORBENT, PUMP INTO COVERED DRUMS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENT, LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE. AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respir

atory Protection:NONE SHOULD BE NEEDED

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

EVAPORATION RATE:3.5% WT OVER 22 HRS AT 350F. MELTING PT:510F.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F/316C

Evaporation Rate & Reference:SEE SUPP DATA

Solubility in Water:NEGLIGIBLE

Appearance and

Odor:BLACK GREASE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO\*2, H\*2O.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGU  
LATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particul  
ar situation.