

DAVIS HOWLAND OIL CORPORATION -- MIL-F-46148;FATTY OILS,TRIGLYCERIDES --
9150-00-449-6009

===== Product Identification =====

Product ID:MIL-F-46148;FATTY OILS,TRIGLYCERIDES
MSDS Date:03/01/1987
FSC:9150
NIIN:00-449-6009
MSDS Number: BDZCK
=== Responsible Party ===
Company Name:DAVIS HOWLAND OIL CORPORATION
Address:200 ANDERSON AVENUE
City:ROCHESTER
State:NY
ZIP:14607-1111
Country:US
Info Phone Num
:716-473-6650
Emergency Phone Num:716-473-6650
CAGE:5A565

=== Contractor Identification ===
Company Name:DAVIS HOWLAND OIL CORP.
Address:200 ANDERSON AVE.
City:ROCHESTER
State:NY
ZIP:14607
Country:US
Phone:716-473-6650
CAGE:5A565

===== Composition/Information on Ingredients =====

Ingred Name:FATTY OILS
Other REC Limits:5MG/CUM AS OIL MIST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Haza

Effects Acute and Chronic:ACUTE:SKIN AND EYE
IRRITATION;INGESTION MAY CAUSE G.I.
IRRITATION,NAUSEA,DIARRHEA.RESPIRATORY IRRITATION OR PROBLEM WHEN
INHALED IN FORM OF VAPORS/MIST. CHRONIC:NOT KNOWN
Effects of Overexposure:INGESTION:G.I.TRACT IRRITATION,NAUSEA,DIARRHEA.
EYES:IRRITATION OR REDNESS. SKIN:SKIN IRRITANT. INHALATION:WHEN
VAPORS/MIST INHALED,RESPIRATORY IRRITATION OR PROBLEM.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

===== First Aid Measures =====

First Aid:INGESTION:GIVE GLASS OF WATER,INDUCE VOMITING,CALL PHYSICIAN.
EYES:FLUSH WITH POTABLE WATER FOR 15 MINUTES AND GET MEDICAL
ATTENTION. SKIN:WASH THOROUGHLY WITH SOAP AND WATER.
INHALATION:REMOVE TO FRESH AIR,CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:510F/266C
Extinguishing Media:CO*2 OR FOAM,FOG,DRY CHEMICAL
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:NONE KNOWN;USE REASONABLE CARE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE
LIQUID;USE SUITABLE INERT ABSORBENT AND RECOVER FOR PROPER
DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA;KEEP IN TIGHTLY CLOSED CONTAINERS;KEEP AWAY FROM
HEAT,STRONG
OXIDIZING AND REDUCING AGENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC
VAPORS/MIST IF ABOVE TLV/PEL.
Ventilation:GENERAL IS SATISFACTORY
Protective Gloves:RUBBER OR NEOPRENE
Eye Protection:CHEMICAL SAFETY GOGGLES
Other Protective Equipment:SAFETY SHOWER AND EYEWASH STATION
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST;WASH THOROUGHLY A

FTER EACH USE.
Supplemental Safety and Health
MSDS RECEIVED BY DGSC:NOV 20,1987.

===== Physical/Chemical Properties =====

HCC:V6
Spec Gravity:0.90
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER OIL LIQUID,FATTY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING & REDUCING AGENTS.
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:CO AND CO*2 ON BURNI
NG.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its u
se. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.