View NSN Online: https://aerobasegroup.de/nsn/6850-00-457-1521

Product ID:XT-36, TYPE 2,6,10,15 TONER MSDS Date:01/01/1987 FSC:6850 NIIN:00-457-1521 MSDS Number: BDZHD === Responsible Party === Company Name:NASHUA CORP. Emergency Phone Num:603-880-5555 CAGE:KO392 === Contractor Identification === Company Name: NASHUA CORP OFFICE PRODUCTS DIV. Address:44 FRANKLIN ST Box:City:NASHUA State:NH ZIP:03060 Country:US Phone:603-880-2323 CAGE:34936 Company Name:NASHUA CORP. Address:44 FRANKLIN ST Box:1 City:NASHUA State:NH ZIP:03060-2665 Country:US Phone:800-258-1370 CAGE:KO392

Ingred Name:STYRENE ACRYLIC COPOLYMER(75-85%) Fraction by Wt: 80%

Ingred Name:ACRYLIC POLYMER(4-8%) Fraction by Wt: 6%

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 12.5% OSHA PEL:3.5 MG/M3

## ACGIH TLV:3.5 MG/M3; 9192

======================================
Effects of Overexposure: IRRITATION OF EYES & RESPIRATORY TRACT MAY OCCUR IN HEAVY DUST CONDITIONS.
======================================
First Aid:REMOVE FROM EXPOSURE,WASH SKIN WITH SOAP,FLUSH EYES WITH WATER,DRINK WATER IF INGESTED.
======================================
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG. Fi
re Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.
Unusual Fire/Explosion Hazard:MATERIAL CAN FORM EXPLOSIVE MIXTURES WHEN SUSPENDED IN AIR. ALL IGNITION SOURCES SHOULD BE AVOIDED.
======================================
Spill Release Procedures: VACUUM OR SWEEP UP AS WITH ANY NON-TOXIC POWDER.
======================================
Handling and Storage Precautions:DO NOT STORE NEXT TO STRONG OXIDIZERS
EYE PROTECTION & RESPIRATOR MAY BE REQUIRED FOR BULK HANDLING. Other Precautions: AVOID EXCESSIVE EXPOSURE TO HEAT.
======================================
Respiratory Protection:NONE Ventilation:NONE Protective Gloves:NONE Eye Protection:NONE Other Protective Equipment:NONE Supplemental Safety and Health MSDS DATED 1-26-87.
======================================
HCC:N1 Spec Gravity:1 Solubility in Water:INSOLUBLE Appearance and

## Odor:BLACK POWDER,FAINT ODOR

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:AVOID OPEN FLAME Hazardous Decomposition Products:TOXIC PRODUCTS.

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

## Disclaime

r (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.