View NSN Online: https://aerobasegroup.com/nsn/8030-00-469-5736

CIBA-GEIGY CORPORATION/FURANE PRODUCTS -- EPOCAST 1843 A TY-4 GRADE-A FPCF2186 --

8030-00-469-5736

Product ID:EPOCAST 1843 A TY-4 GRADE-A FPCF2186

MSDS Date: 10/27/1989

FSC:8030

NIIN:00-469-5736

MSDS Number: BDZNY === Responsible Party ===

Company Name: CIBA-GEIGY CORPORATION/FURANE PRODUCTS

Address:5121 SAN FERNANDO ROAD WEST

City:LOS ANGELES

State:CA ZIP:90039

I

nfo Phone Num:(818) 247-6210

Emergency Phone Num:(818) 247-6210 Preparer's Name:RAJEST S. PATEL

CAGE:99384

=== Contractor Identification ===

Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE

**POLYMERS** 

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011 Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

======= Composition/Information on Ingredients ========

Ingred Name: PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER

CAS:28064-14-4

F

raction by Wt: 50%

Ingred Name: VINYL CYCLOHEXENE DIOXIDE

CAS:106-87-6

RTECS #:RN8640000 Fraction by Wt: 20% OSHA PEL:S, 10 PPM

ACGIH TLV:S, 10 PPM ;A2; 9192

Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000 Fraction by Wt: 10%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name: PHENOLIC RESIN, PHENOL FORMALDEHYDE RESIN

CAS:9003-35-4 Fraction by Wt: 10%

Ingred Name: GLASS. FIBROUS

IH TLV:10 MG/M3 (DUST);9192
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION THE NOSE/THROAT, & TOXIC. EYE: PERSISTENT IRRITATION, POSSIBLY PERMANENT INJURY. SKIN: IRRITATION, HARMFUL, ALLERGIC REACTION, & SENSITIZER. INGESTION: NAUSEA, VOMITING, & ABDOM INAL PAIN. Explanation of Carcinogenicity:VIN YL CYCLOHEXENE DIOXIDE WHICH IS SUSPECTED HUMAN CANCER HAZARD BY ACGIH. Effects of Overexposure:INHALATION: PROLONGED/REPEATED EXPOSURE OF LIQUID OR BREATHING OF VAPORS OR MISTS MAY CAUSE DELAYED & SERIOUS INJURY. Medical Cond Aggravated by Exposure:ALLERGIC DERMATITIS, RESPIRATORY RESPONSE
======================================
First Aid:EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTI ON: DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCI OUS PERSON. OBTAIN MEDICAL ATTENTION INALL CASES.  ==================================
Flash Point Method:PMCC Flash Point:>110F Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY Fire Fighting Procedures:WEAR BREATHING APPARATUS (MSHA/NIOSH-APPROVED, PRESSURE, DEMAND, SELF-CONTAINED OR EQUIVALENT & FULL PROTECTIVE GEAR. Unusual Fire/Explosion Haza rd:HEATED SEALED CONTAINERS CAN EXPLODE DECOMPOSITION & COMBUSTION MAY PRODUCE TOXIC PRODUCTS.
======================================
Spill Release Procedures:EVACUATE THE SPILL AREA. VENTILATE AREA. CLEAN UP ALL TRACES OF SPILL. SHOVEL AS MUCH OF MATERIAL AS POSSIBLE INTO CLEAN, DRY CONTAINERS. ON HARD SURFACES USE ABSORBENT MATERIAL TO PICK UP REMAINDER; ON LOOSE SURRFACES SHOVEL UP CONTAMINATED LAYER.
============== Handling and Stor

age ==========

Handling and Storage Precautions:STORE AWAY FROM EXCESSIVE HEAT, STEAMPIPES, RADIATORS, FROM SOURCES OF IGNITIONS, & FROM REACTIVE MATERIALS. AVOID CONTACT W/SKIN, & BREATHING VAPORS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: WEAR RESPIRATOR (MSHA/NIOSH-APPROVED) SUITABLE FOR CONCENTRATIONS & TYPES OF AIR CONTAMINANTS RENCOUNTERED.

Ventilation: MECHANICAL/LOCAL EXHAUST VENTILATION AT POINT OF CONTAMINA

NT RELEASE.

Protective Gloves: IMPERVIOUS, RUBBER

Eve Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING, EYEWASH FACILITY, SAFETY SHOWER.

Work Hygienic Practices:REMOVE/WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH AFTER HANDLING & SHOWER AT END OF WORK PERIOD.

Supplemental Safety and Health

WARNING: THIS PRODUCT MAY CONTAIN A CHEMICAL WHICH IS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER.

HCC:F4 Vapor Pres:1 Spec Gravity:0.80

Evaporation Rate & Evaporation R