

OLIN HUNT SPECIALTY PRODUCTS INC,SUBS.OF OLIN CORP -- 709451 AEROFIX FIXER & REPLENISHER,PART B -- 6750-00-484-1126

===== Product Identification =====

Product ID:709451 AEROFIX FIXER & REPLENISHER,PART B

MSDS Date:06/09/1987

FSC:6750

NIIN:00-484-1126

Kit Part:Y

MSDS Number: BFBCG

=== Responsible Party ===

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC,SUBS.OF OLIN CORP

Address:5 GARRET MOUNTAIN PL

AZA

City:WEST PATERSON

State:NJ

ZIP:07424

Info Phone Num:203-356-3449

Emergency Phone Num:800-654-6911

CAGE:OLINH

=== Contractor Identification ===

Company Name:FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC.

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Phone:203-789-5436

CAGE:OLINH

===== Composition/Infor

mation on Ingredients =====

Ingred Name:SULFURIC ACID (SARA III)
CAS:7664-93-9
RTECS #:WS5600000
Fraction by Wt: 1-5%
Other REC Limits:NO DATA
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ALUMINUM SULFATE (SARA III)
CAS:10043-01-3
RTECS #:BD1700000
Fraction by Wt: 15-20%
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:WATER; CAS #7732-18-5
CAS:7732-18-5
RTECS #:ZC0110000

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NO DATA
Reports of Carcinogenicity:NTP:NO IARC:NO
Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL TISSUES
CONTACTED,MUCOUS MEMBRANE AND RESPIRATORY IRRITANT. CHRONIC:NONE
KNOWN EXCEPT THOSE SECONDARY TO BURNS.
Effects of Overexposure:CORROSIVE TO ALL TISSUES CONTACTED.MUCOUS
MEMBRANE AND RESPIRATORY IRRITANT.
Medical Cond Aggravated by Exposure:NONE NOTED.

===== First Aid Measures
=====

First Aid:EYES/SKIN:FLUSH WITH WATER FOR 15 MINUTES.SEE
DOCTOR;INHALATION:REMOVE TO FRESH AIR.SEE DOCTOR;INGESTION:DRINK
LARGE AMOUNTS OF WATER.DO NOT INDUCE VOMIT.SEE DOCTOR.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY,DRY CHEMICAL,FOAM OR CARBON DIOXIDE
Fire Fighting Procedures:WEAR SCBA. USE WATER SPRAY TO COOL FIRE
EXPOSED CONTAINERS AND DISPERSE UNIGNITED VAPORS.
Unusual Fire/E

Explosion Hazard:EMITS TOXIC FUMES OF OXIDES OF SULFUR
WHEN HEATED TO DECOMPOSITION

===== Accidental Release Measures =====

Spill Release Procedures:WEAR NIOSH/MSHA APPROVED ACID GAS CARTRIDGE PLUS DUST/MIST FILTER RESPIRATOR.WEAR GOGGLES,COVERALLS,NEOPRENE GLOVES AND BOOTS.NEUTRALIZE.ABSORB IN INERT MATERIAL AND SHOVEL INTO APPROPRIATE DISPOSAL CONTAINER AND SEAL.FLUSH RESIDUE WITH WATER.

Neutralizing Agent:20% SODIUM BICARBONATE SOLUTION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID EYE CONTACT;WASH WELL AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED

Ventilation:LOCAL EXHAUST & MECHANICAL RECOMMENDED BY THE MFR.

Protective Gloves:NEOPRENE

E

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:SAFETY SHOWER,EYE BATH AND APRON

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. REMOVE AND LAUNDRY CONTAMINATED CLOTHING.

Supplemental Safety and Health

THIS IS PART B OF A 2-PART KIT. FOR PART A,SEE PNI A,SAME NSN. PART B CAT # 709451. WHOLE KIT # 811257. KEY1:C1.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:212F(100C)

Vapor Pres:15

Spec Gravity:1.25

pH: