View NSN Online: https://aerobasegroup.de/nsn/3040-00-490-6069 PT COMPONENTS INC, STEARNS DIV -- 8-004-10400 -- 6110-00-490-6069 Product ID:8-004-10400 MSDS Date:01/01/1985 FSC:6110 NIIN:00-490-6069 MSDS Number: BFBHJ === Responsible Party === Company Name: PT COMPONENTS INC, STEARNS DIV Address:120 N BROADWAY City:MILWAUKEE State:WI ZIP:53202-6002 Country:US CAGE:05805 === Contractor Identification === Company Name: PT COMPONEN TS INC STEARNS DIVISION Address:120 N BROADWAY Box:City:MILWAUKEE State:WI ZIP:53202-6002 Country:US CAGE:05805 ====== Composition/Information on Ingredients ======== Ingred Name: ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE 29CFR 1910.1101) CAS:1332-21-4

RTECS #:CI6475000

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

============== Hazards Identification =======================

Effects of Overexposure: ASBESTOS D

| COUGH,SHORT OF BREATH,WEAKNESS,CYANOSIS,ETC. |
|---|
| ====================================== |
| First Aid:SKIN:CONSULT DOCTOR FOR DERMATITIS.EYES:FLUSH WITH WATER FOLLOWED BY TREATMENTS OF OPHTHALMOLOGIST.INHALATION:CONSULT PHYSICIAN AT ONCE. |
| ========== Fire Fighting Measures ============ |
| Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CNTND BRTHG A PP |
| ======== Accidental Release Measures ========= |
| Spill Release Procedures:PICK UP MATERIAL & RETURN TO CONTAINER. IF ANY BROKEN MATRIAL EXISTS,BE CAREFUL TO AVOID DUSTING CONDITIONS.PLACE BROKEN MATERIAL INTO A SEALED CONTAINER.VACUUM OR WET CLEAN ONLY.DO NOT DRY SWEEP. |
| ========== Handling and Storage ============ |
| Handling and Storage Precautions:AVOID CUTTING OR GRINDING ON ITEM.AVOID ANY DUSTING CONDITIONS.MAINTAIN GOOD HOUSEKEEP ING. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NIOSH APPROVED DUST MASK AS A MINIMUM.SELF CONT APP FOR DUSTING COND Ventilation:PROVIDE GOOD LOCAL VENTILATION TO KEEP BELOW PEL Protective Gloves:WORKING GLOVES |
| Eye Protection:SAFETY GLASSES Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. Supplemental Safety and Health |
| SAFETY DATA DEVELOPED BY DGSC-STF.STORAGE CODE BASED ON FACT THAT ASBESTOS IS |

| ========= Physical/Chemical Properties ========== |
|--|
| HCC:T6 Appearance and Odor:ASBESTOS FIBERS IN BOUND FORM IN FRICTION LINING. |
| ======== Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES NONE KNOWN Hazardous Decomposition Products:NONE KNOWN |
| ======== Disposal Considerations =========== |
| Waste Disposal Methods:PLACE IN SEALED PLASTIC BAG OR CONTAINER.ULTIMATE DISPOSAL MUST C OMPLY WITH ALL LOAL,STATE & |

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitab ility of this information to their

particular situation.

FEDERAL REGULATIONS.

BOUND UP & NOT LOOSE.