

CORNELL DUBILIER ELECTRONICS DIV FED PAC ELEC CO -- KKK204 -- 5910-00-493-5606

=====  
Product Identification  
=====

Product ID:KKX204

MSDS Date:01/01/1985

FSC:5910

NIIN:00-493-5606

MSDS Number: BFBJX

=== Responsible Party ===

Company Name:CORNELL DUBILIER ELECTRONICS DIV FED PAC ELEC CO

Address:1605 E RODNEY FRENCH BLVD

Box:B-967

City:NEW BEDFORD

State:MA

ZIP:02741-9990

Country:US

Emergency Phone Nu

m:508-996-8561

CAGE:09023

=== Contractor Identification ===

Company Name:CORNELL DUBILIER ELEC DIV FED PAC ELEC

Address:ONE INTERCHANGE PLZ

Box:B-967

City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:09023

Company Name:CORNELL-DUBILIER ELECTRONICS

Address:1605 E RODNEY FRENCH BLVD

Box:B-967

City:NEW BEDFORD

State:MA

ZIP:02741-9990

Country:US

Phone:508-996-8561

CAGE:93790

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYCHLORINATED BIPHENYLS (P

CBS) (SARA III)  
CAS:1336-36-3  
RTECS #:TQ1350000  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES  
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP  
IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS  
NEEDED.INGEST:GET MEDIC  
AL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE  
VOMITING,BUT DO NOT MAKE UNC ONSCIOUS PERSON VOMIT.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT  
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory  
Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RUBBER-IMPERV  
Eye Protection:GOGGLES,FACE SHIELD  
Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT  
Supplemental Safety and Health  
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES  
EYES,NOSE THROAT.

=====  
===== Physical/Chemical Properties =====

HCC:Z3  
Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR

=====  
===== Stabil

ity and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH  
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or impli  
ed, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.