

COMMUNICATIONS TECHNOLOGY CORP -- G-525 JEL-E-PAK -- 5970-00-522-1634

===== Product Identification =====

Product ID:G-525 JEL-E-PAK

MSDS Date:01/01/1987

FSC:5970

NIIN:00-522-1634

MSDS Number: BFCKZ

=== Responsible Party ===

Company Name:COMMUNICATIONS TECHNOLOGY CORP

Address:4100 MCEWEN DR SUITE 244

City:DALLAS

State:TX

ZIP:75244

Country:US

Info Phone Num:214-991-8338

Emergency Phone Num:214-991-

8338

CAGE:57412

=== Contractor Identification ===

Company Name:COMMUNICATIONS TECHNOLOGY CORP

Address:4100 MCEWEN DR SUITE 244

Box:City:DALLAS

State:TX

ZIP:75244

Country:US

CAGE:57412

Company Name:PIONEER VALVE AND FITTING CO INC

Address:93 SEIGAL ST

Box:City:BROOKLYN

State:NY

ZIP:11206-3204

Country:US

Phone:718-387-4724

CAGE:66200

Company Name:PRECISION METAL PRODUCTS INC SUB OF MACR

Box:UNKNOW

CAGE:97412

===== Composition/Information on Ingredients =====

Ingred Name:PETROLE

UM HYDROCARBONS (AS AN OIL MIST 80-95%)

Fraction by Wt: 87.5%

ACGIH TLV:5MG/CUM,OILMIST

=====  
Hazards Identification  
=====

Effects of Overexposure:NO UNUSUAL EFFECTS TO BE EXPECTED.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVE  
REXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point:400F (C.O.C.)  
Lower Limits:UNKN  
Upper Limits:UNKN  
Extinguishing Media:DRY CHEMICALS,CO\*2,WATER SPRAY.  
Fire Fighting Procedures:NONE SPECIFIED  
Unusual Fire/Explosion Hazard:NONE SPECIFIED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE SPILLAGE BY ABSORBING IN ABSORBENT  
SWEEPING COMPOUND.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:IN ACCORDANCE WITH GOOD INDUSTRIAL  
PRACTICE,HANDLE WITH DUE CARE AND AVOID UNNECESSARY PERSONAL  
CONTACT.  
Other Precautions:AVOID EYES AND SKIN CONTACT.PROVIDE ADEQUATE  
VENTILATION

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY  
CONDITIONS/ADEQUATE VENT.  
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION  
Protective Gloves:PV/RUBBER  
Ey

e Protection:SAFETY GLASSES  
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE  
WASH STATION  
Supplemental Safety and Health  
MSDS UNDATED.OTHER PHONE NO(213) 473-0061(NITE LINE)

===== Physical/Chemical Properties =====

HCC:N1  
Vapor Pres:0.1  
Vapor Density:1.0  
Spec Gravity:0.88  
Evaporation Rate & Reference:NONE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:PETROLEUM HYDROCARBONS LIQUID.  
Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZING  
Stability Condition to Avoid:AVOID EXECESSIVE HEAT FOR LONG PERIODS OF  
TIME  
Hazardous Decomposition Products:FROM INCOMPLETE COMBUSTION CO MAY BE  
FORMED

===== Disposal Considerations =====

Waste Disposal Methods:USE APPROVED INCINERATION OR LAND FILL IN  
ACCORDANCE WITH FEDERAL,STATE AND LOCAL ENVIRONMENTAL CONTROL  
REGULATIONS.

Disclaimer (pro  
vided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.