

STIC-ADHESIVE PRODUCTS CO, INC. -- TT-T-291F THINNER -- 8010-00-558-7026

=====  
Product Identification  
=====

Product ID:TT-T-291F THINNER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-558-7026

MSDS Number: BFFJW

=== Responsible Party ===

Company Name:STIC-ADHESIVE PRODUCTS CO, INC.

Emergency Phone Num:213-268-2956

CAGE:59142

=== Contractor Identification ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Addr

ess:3950 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:59142

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM HYDROCARBON BLEND

Fraction by Wt: 100%

=====  
Hazards Identification  
=====

Effects of Overexposure:DRIES SKIN:INHALATNG MAY CAUSE ANESTHCSIA,  
HEADACHE, DIZZINESS- UPPER RESPIRATORY IRRITATION.

=====  
First Aid Measures  
=====

First Aid:INHALAT

ION-MOVE TO FRESH AIR; ARTIFIVIAL RESPIRATION IF

NECESSARY. CALL DOCTOR. SKIN-WASH WITH SCAP & WATER, APPLY MILD  
SKIN CREAM. SEVERE CASES-CALL DOCTOR. EYE-FLUSH WITH WATER; CALL  
DOCTOR. INGESTI ON - CALL DOCTOR

=====  
Fire Fighting Measures  
=====

Flash Point:105F, 41C

Extinguishing Media:FOAM, CO, DRY CHEMICALS

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. WATE MAY  
BE UNSUITABLE

Unusual Fire/Explosion Hazard:AVOID SPRAKS, FIRE OR

NOT METAL SURFACES.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID SPARKS, FIRE OR HOT METAL SURFACES-FLUSH WITH WATER INTO NON-HAZARDOUS RETAINING AREA OR CONTAINER. SMALL QUANTITIES MAY BE ABSORBED ON APPROPRIATE ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL & AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION.

Other Precautions:AVOID PERSONAL CONTACT. WASH OFF SPILLED LIQUID REMOVE WET CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPEND ON CONC. ABOVE TIME-WEIGHED TLV, CARTRIDGE RESPIRATOR OR MASK

Ventilation:SUFFICIENT TO KEEP AREA BELOW TLV

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:IMPERMEABLE APRON, IMPERMEABLE GLOVES OR BARRIER CREAM.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:315-390F

Vapor Pres:204

Vapor Density:4.9

Spec Gravity:0.789

Evaporation Rate & Reference:0.2

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, COLORLESS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS; STRONG ACIDS & BASES; SELECTED AMINES

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES, FIRE

Hazardous Decomposition Products:MAY YIELD CO OR

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF  
IN ACCORDANCE WITH STATE, LOCAL OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all l

iability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.