

ELDORADO CHEMICAL CO. INC. -- ED-371 -- 6850-00-559-2835

=====  
===== Product Identification =====

Product ID:ED-371

MSDS Date:01/01/1985

FSC:6850

NIIN:00-559-2835

MSDS Number: BFFKH

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL CO. INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1088

CAGE:55208

==

= Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 5%

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:CRESOL, ALL ISOMERS (CRESYLIC ACID) (SARA III)

CAS:1319-77-3

RTECS #:GO5950000

OSHA PEL:S, 5 PPM  
ACGIH TLV:S, 5 PPM; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:INH: NAUSEA. SKIN: DEFATTING/AMINE RASH. EYES:  
IRRIT.

=====  
First Aid Measures  
=====

First Aid:INH:REMOVE TO FRESH AIR. SKIN:WASH W/ SOAP & WATER.  
EYES:FLUSH W/ WATER FOR 15 MIN;SEE MD.

=====  
Fire Fighting Measures  
=====

Flash Point:235  
F;113C (COC)  
Extinguishing Media:CO\*2,FOAM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:TAKE UP W/ OIL ABSORBENT MATERIAL & BURY IN  
SANITARY LANDFILL. SMALL AMOUNTS MAY BE FLUSH TO SEWAGE SYSTEM W/  
WATER.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT REQUIRED(MFR)  
Ventilation:LOCAL EXHAUST-200 CFM TO KEEP BELOW TLV  
Protectiv  
e Gloves:RUBBER  
Eye Protection:FACE SHIELD  
Other Protective Equipment:RUBBER APRONS & BOOTS  
Supplemental Safety and Health  
OTHER EMERGENCY PHONE: 512-494-5337. SPEC: TYPE II. CONTAINER: 55 GAL  
CAN.

=====  
Physical/Chemical Properties  
=====

HCC:B3  
Boiling Pt:B.P. Text:270F;132C  
Vapor Pres:1  
Spec Gravity:0.9  
Evaporation Rate & Reference:SAME AS WATER  
Solubility in Water:EMULSIFIERS  
Appearance and Odor:THIN,AMBER LIQUID  
Percent Volatiles by Volume:60

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: MFR RECOMMENDS: TREATING MATERIAL TO REMOVE NON-VOLATILE HYDROCARBONS & PHENOLICS; FLUSH REMAINDER TO SEWAGE SYSTEM. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This i

nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.