

SYBRON CHEMICALS INC -- CLASS 3 RESIN TO FED SPEC O-I-1279A -- 6810-00-559-3267

=====
Product Identification
=====

Product ID:CLASS 3 RESIN TO FED SPEC O-I-1279A

MSDS Date:01/01/1987

FSC:6810

NIIN:00-559-3267

MSDS Number: BFFLF

=== Responsible Party ===

Company Name:SYBRON CHEMICALS INC

Emergency Phone Num:609-894-8211

CAGE:76465

=== Contractor Identification ===

Company Name:IONAC CHEMICAL CO.

Ad

dress:BIRMINGTON ROAD

Box:66

City:BIRMINGTON

State:NJ

ZIP:08011

Country:US

Phone:609-893-1100

CAGE:27580

Company Name:SYBRON CHEMICALS INC,SUB OF SYBRON CORP

Address:BIRMINGHAM RD

Box:66

City:BIRMINGHAM

State:NJ

ZIP:08011

Country:US

Phone:609-893-1100

CAGE:76465

=====
Composition/Information on Ingredients
=====

Ingred Name:CATION EXCHANGE POLYMER

Fraction by Wt: 53%

Ingred Name:WATER

RTECS #:ZC0100000

Fraction by Wt: 47%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fr

action by Wt: 50-60%

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN IRRITATION

=====
First Aid Measures
=====

First Aid:EYE:FLUSH EYES & SKIN WITH COPIOUS QUANTITIES OF WATER FOR 15 MIN. IF IRRITATION PERSISTS,SEE A PHYSICIAN.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting

Procedures:WEAR SELF-CNTND BRTHG APP

Unusual Fire/Explosion Hazard:TOXIC DECOMPOSITION PRODUCT

=====
Accidental Release Measures
=====

Spill Release Procedures:COLLECT RESIN BEADS & EITHER RETURN TO CONTAINER OR, IF DIRTY,DISCARD.RESIN BEADS ON FLOOR WILL RESULT IN VERY SLIPPERY SURFACE.

=====
Handling and Storage
=====

Handling and Storage Precautions:THIS MATERIAL SHOULD BE STORED INDOORS BETWEEN 32F & 140F,FREEZING SHOULD BE AVOIDED.

Other Precautions:THIS MATERIAL SHOULD NOT BE ALLOWED TO DRY OUT. DO NOT PACK THIS MATERIAL IN UNPROTECTED GALSS COLUMNS,EXPANSION OF THE BEADS CAN CAUSE THE COLUMN TO SHATTER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NEEDED

Ventilation:NORMAL ROOM

Protective Gloves:RUBBER

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:EYE RASH

Supplemental Safety and Health

MSDS DATED 10-21-85.

=====
Phys

ical/Chemical Properties =====

HCC:N1

Spec Gravity:1.3

Evaporation Rate & Reference:1.0,WATER

Solubility in Water:NEGLIGIBLE.

Appearance and Odor:DARK SPHERICAL BEADS,ODORLESS,PH(AQ)=2-4

Percent Volatiles by Volume:45

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENT SUCH AS NITRIC ACID.

Stability Condition to Avoid:TEMP ABOVE 240C.

Hazardous Decomposition

Products:CO,CO*2,SO*2,SO*3,STYRE

NE,DIVINYLBENZENE

===== Disposal Considerations =====

Waste Disposal Methods:CAN BE DISPOSED OF AS ORDINARY TRASH.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docume

nt should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.