

TEXACO CHEMICAL CO -- C7533 TOLUENE -- 6810-00-579-8431

===== Product Identification =====

Product ID:C7533 TOLUENE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-579-8431

MSDS Number: BFFZK

=== Responsible Party ===

Company Name:TEXACO CHEMICAL CO

Address:4800 FOURANCE INC

Box:27707

City:HOUSTON

State:TX

ZIP:77227

Country:US

Info Phone Num:914-838-7204MSDS(7336)/512-459-6543

Emergency Phone Num:914-831-3

400/409-727-8381/424-9300

CAGE:19630

=== Contractor Identification ===

Company Name:TEXACO CHEMICAL CO DIV OF TEXCAO INC

Address:4800 FOURNACE PL

Box:City:BELLAIRE

State:TX

ZIP:77401

Country:US

Phone:713-961-3711

CAGE:19630

===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 100%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== Hazard

s Identification =====

Effects of Overexposure:EYE AND SKIN
IRRITATION,DERMATITIS,HEADACHE,DIZZINESS,VOMITING CNS
DEPRESSION,LIVER,KIDNEY MALFUNCTN

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:40F (T.C.C.)
Lower Limits:1.4
Upper Limits:7.6
Extinguishing Media:DRY CHEMICAL,FOAM OR CO*2.
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE ON FLAMES.USE SCBA TO
FIGHT FIRES
Unusual Fire/Explosion Hazard:EXPLOSIVE AIR-VAPOR MIXTURES MAY FORM.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. VENTILATE THE
AREA IF NECESSARY. CONTAIN SPILL, REMOVE WITH INERT AB
SORBANT.
RECOVER IT FOR FURTHER DISPOSAL. USE PROPER PERSONAL PROTECTIVE
EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:FOLLOW OSHA AND DOT REGULATIONS
(1910.106 & TITLE 49) FOR HANDLING,STORING AND TRANSPORTING
FLAMMABLE LIQUIDS.
Other Precautions:AVOID SKIN AND EYES EXPOSURE. DO NOT INHALE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED

RESPIRATOR FOR TOLUENE.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN