

PFIZER INC -- LIMESTONE - LUCERNE VALLEY -- 6810-00-585-2017

=====
Product Identification
=====

Product ID:LIMESTONE - LUCERNE VALLEY

MSDS Date:06/01/1988

FSC:6810

NIIN:00-585-2017

MSDS Number: BFGRT

=== Responsible Party ===

Company Name:PFIZER INC

Address:235 EAST 42ND STREET

City:NEW YORK

State:NY

ZIP:10017-5703

Country:US

Info Phone Num:212-573-2816,619-248-7334(CA PLANT)

Emergency Phone Num:

619-245-3441(VICTORVILLE, CA PLANT)

CAGE:DO529

=== Contractor Identification ===

Company Name:LAGUNA CLAY CO

Address:14400 LOMITAS AVE

Box:City:LA PUENTE

State:CA

ZIP:91746

Country:US

Phone:818-330-0631

CAGE:40894

Company Name:PFIZER INC

Address:235 E 42ND STREET

City:NEW YORK

State:NY

ZIP:10017

Phone:800-424-9300(CHEMTREC)/413-743-0598

CAGE:DO529

Company Name:PFIZER INC, MINERALS & PIGMENT DIVISION

Address:235 EAST 42ND ST

Box:City:NEW YORK

State:NY

ZIP:10017

Country:US

Phone:212-573-2816

CAGE:

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE, (MARBLE), (LIMESTONE).

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST, 9192

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute

and Chronic:EYES: DUST MAY CAUSE IRRITATION. SKIN:

DUST MAY CAUSE IRRITATION FROM ABRASSIVE ACTION. INHALATION:

CALCIUM CARBONATE AS A "NUISANCE PARTICULATE" HAS A LONG HISTORY OF LITTLE ADVERSE EFFECT ON LUNGS AND DO NOT PRODUCE SIGNIFICANT ORGANIC DISEASE OR TOXIC EFFECT WHEN EXPOSURES ARE KEPT UNDER REASONABLE CONTROL.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY NTP, IARC, OSHA, OR ACGIH.

Effects of Overexposure:EYES: IRRITATION. SKI

N: IRRITATION. INHALATION:

IRRITATION OF RESPIRATORY TRACT. INGESTION: NO SIGNIFICANT HEALTH PROBLEMS.

Medical Cond Aggravated by Exposure:PERSON WITH PRE-EXISTING DISEASE

INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION

PERSISTS GET MEDICAL ATTENTION. SKIN: WASH DUST FROM SKIN WITH SOAP AND WATER. IN

HALATION: MOVE FROM EXPOSURE AREA. INGESTION: IF LARGE

AMOUNT IS INGESTED AND IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER TO INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:NON-FLAMMABLE

Extinguishing Media:AS APPROPRIATE FOR SURROUNDING MATERIALS.

Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures

=====

Spill Release Procedures:CLEAN-UP PERSONNEL SHOULD USE RESPIRATOR PROTECTION FOR AIRBORNE DUST. VACUUM OR SCOOP UP SPILLED MATERIAL FOR RECOVERY OR DISPOSAL, AVOIDING DUSTING CONDITIONS. WETTING THE SPILL WITH WATER SPRAY MAY HELP TO KEEP THE AIRBORN DUST LEVELS DOWN.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE NORMALLY REQUIRED.

Other Precautions

:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE LIMITS ARE EXCEEDED, A NIOSH APPROVED DUST RESPIRATOR SHOULD BE USED.

Ventilation:PROVIDE EXHAUST VENTILATION TO MEET TLV. EXHAUST FILTER SYSTEM MAY BE REQUIRED TO AVOID ENVIRONMENTAL CONTAMINATION.

Protective Gloves:LEATHER OR RUBBER.

Eye Protection:SAFETY GLASSES OR DUST-TIGHT GOGGLES.

Other Protective Equipment:AN EYEWASH STATION SHOULD BE AVAILABLE TO

THE AREA OF USE.

Work Hygienic Practices:NORMAL GOOD INDUSTRIAL HYGIENE PRACTICES ARE ADEQUATE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:2.6-2.8

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE POWDER. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REACTS WITH ACID TO LIBERATE CARBON DIOXIDE G

AS.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:CALCIUM CARBONATE IS NOT CONSIDERED A HAZARDOUS WASTE AND MAY BE DISPOSED IN A SITE FOR INDUSTRIAL WASTES. REFER TO LOCAL, STATE AND FEDERAL REGULATIONS FOR SPECIFIC DISPOSAL INFORMATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.