

CARVER TRIPP COMPANY (CLOROX COMPANY) -- 9304 COLOR RICH WOOD STAIN --
8010-00-597-8225

===== Product Identification =====

Product ID:9304 COLOR RICH WOOD STAIN

MSDS Date:01/01/1987

FSC:8010

NIIN:00-597-8225

MSDS Number: BFHCY

=== Responsible Party ===

Company Name:CARVER TRIPP COMPANY (CLOROX COMPANY)

Address:1221 BROADWAY

Box:24305

City:OAKLAND

State:CA

ZIP:94623

Country:US

CAGE:HO361

=== Contr

actor Identification ===

Company Name:CARVER TRIPP COMPANY (CLOROX COMPANY)

Address:1221 BROADWAY

Box:24305

City:OAKLAND

State:CA

ZIP:94623

Country:US

CAGE:HO361

Company Name:CLOROX CO THE HEADQUARTERS

Address:1221 BROADWAY

Box:24305

City:OAKLAND

State:CA

ZIP:94612-1305

Country:US

Phone:510-271-7000

CAGE:93098

===== Composition/Information on Ingredients =====

Ingred Name:LINSEED OIL (ALONG W/SYNTHETIC RESINS,COMPRISES 24% OF THE
TOTAL PRODUCT)

CAS:8001-26-1

RTECS #:O196

90000
ACGIH TLV:UNKNOWN (MFR)

Ingred Name:SYNTHETIC RESINS
ACGIH TLV:UNKNOWN (MFR)

Ingred Name:PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)
CAS:8002-05-9
RTECS #:SE7449000
Fraction by Wt: 59%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 8990

=====
===== Hazards Identification =====

Effects of Overexposure:VAPORS:CAUSES IMPAIRED COORDINATION,RESPIRATORY IRRITATION,DIZZINESS,WEAKNESS&NAUSEA.(SEE OTHR PREC)

=====
===== First Aid Measures =====
=====

First Aid:INHALATION:REMOVE FROM EXPOSURE & PROVIDE FRESH AIR & REST.
SKIN CONTACT:WASH W/MILD SOAP & WATER. EYE CONTACT:WASH IMMEDIATELY W/A GENTLE STREAM OF WATER FOR 15 MINUTES. INGESTION:DO NOT INDUCE VOMIT ING. CALL PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point:104F,40C (TCC)
Lower Limits:0.7
Upper Limits:6.0
Extinguishing Media:CO*2,FOAM,DRY CHEMICAL,WATER FOG
Fire Fighting Procedures:STRAIGHT H*2O STREAM SP
READS HYDROCARBON
FIRE.(SEE SUPP DATA
Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQ.VAPOR ACCUMULATN
FLASH/EXPLODE IF IGNITE.CLOSED CNTNR MAY EXPLODE (SEE SUPP DATA)

=====
===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH SOURCES OF IGNITION. VENTILATE TO PREVENT BUILD UP OF VAPORS. SOAK UP W/INERT MATERIALS SUCH AS SAWDUST.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP

CNTNR CLOSED&UPRIGHT WHEN NOT IN USE.DONT TRANSFER TO UNMARKED CNTNR.READ WARNING LABELS.STORE IN COOL,WELL-VENTILATED AREA AWAY FROM HEAT/FLAME.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. SOAKED RAGS SUBJECT TO SPONTANEOUS COMBUSTN. IF INGEST,DONT INDUCE VOMITING. CALL PHYS IMMED. EFFECTS OF OVEREXP;SKIN-A-DEFATTING AGENT. EYE-AN IRRITANT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESPIRATOR APPROPRIATE FOR EXPOS OF CONCERN

Ventilation:LOCAL EXHAUST TO KEEP LEL&TLV BELOW ACCEPTABLE LIMITS

Protective Gloves:IMPERVIOUS (FPN

Eye Protection:GOGGLES/SAFETY GLASSES

Supplemental Safety and Health

SPECL FIRE FIGHT:COOL CLOSED CNTNR W/H*20.AVOID BREATHING

VAPS.NIOSH/MSHA APPRVD SCBA&FULL PROT GEAR FIRE&EXPLO HAZ:IF

SUBJECT TO EXTRM HEAT.SOAKED RAGS SUBJECT TO SPONTANEOUS COMBUSTN.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:315-411F

Va

por Pres: