

CHEMRAY COATINGS CORPORATION -- INT,LATEX, FLAT PAINT -- 8010-00-598-5733

=====  
Product Identification  
=====

Product ID:INT,LATEX, FLAT PAINT

MSDS Date:01/01/1985

FSC:8010

NIIN:00-598-5733

MSDS Number: BFHJM

=== Responsible Party ===

Company Name:CHEMRAY COATINGS CORPORATION

Address:209 MICHIGAN AVE.

City:KENILWORTH

State:NJ

ZIP:07033

Country:US

Emergency Phone Num:201-245-1111

CAGE:OBRN9

=== Cont

actor Identification ===

Company Name:CHEMRAY COATING CORP

Address:209 N MICHIGAN AVE

Box:City:KENILWORTH

State:NJ

ZIP:07033

Country:US

Phone:201-245-1111

CAGE:33832

Company Name:CHEMRAY COATINGS CORP.

Address:209 N. MICHIGAN AVE.

Box:NA

City:KENILWORTH

State:NJ

ZIP:07033

Country:US

Phone:800-924-9300

CAGE:OBRN9

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

=====  
Hazards Identification  
=====

=====

Effects of Overexposure:NO KNOWN EFFECTS

===== First Aid Measures =====

First Aid:SPLASY EYES:FLUSH WITH RUNNING WATER AT LEAST 15 MINUTES.  
CONSULT A DR.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:WATER IS A MAJOR INGREDIENT OF THIS MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:REMOV W/ABSORBENT MATERIAL OR FLUSH W/WATER  
INTO RETAINING AREA OR CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES OVER 150F  
BECAUSE OF EXPANSION OF CONTAINER CONTENTS.  
Other Precautions:DO NOT FREEZE. DO NOT TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:H.S.C. MDL 1482 RESPIRATORY BY H.S COVER CO,  
BUCHANAN, MI  
Ventilation:LOC EXHAUST- OPEN WINDOWS MECH-FANS  
Protective Gloves:PRLNG/RPEATED C  
Eye Protection:GOGGLES TO PROTCT AGNST S  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:212F 100C  
Vapor Density:1.4  
Spec Gravity:1.4  
Evaporation Rate & Reference:WATER 1.00  
Solubility in Water:COMPLETE  
Appearance and Odor:LIQUID, NOT OBNOXIOUS.  
Percent Volatiles by Volume:69

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

====

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. DO NOT INCINERATE CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

e. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.