

PPG INDUSTRIES,ONE GATEWAY CNTR,PITTSBURGH,PA -- WHITE #37875 -- 8010-00-598-5733  
===== Product Identification =====

Product ID:WHITE #37875

MSDS Date:01/01/1987

FSC:8010

NIIN:00-598-5733

MSDS Number: BFHJQ

=== Responsible Party ===

Company Name:PPG INDUSTRIES,ONE GATEWAY CNTR,PITTSBURGH,PA

Emergency Phone Num:412-434-3131

CAGE:LO671

=== Contractor Identification ===

Company Name:PPG INDUSTRIES

Ad

dress:ONE GATEWAY CENTER

Box:City:PITTSBURGH

State:PA

ZIP:15222-1416

Country:US

CAGE:88944

Company Name:PPG INDUSTRIES,ONE GATEWAY CNTR,PITTSBURGH, PA

CAGE:LO671

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 5.0%

OSHA PEL:C 50 PPM

ACGIH TLV:C 50 PPM,VAPOR; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Effects of Overexposu

re:SKIN CONTACT:POSSIBLE PRIMARY IRRITATION. EYE  
CONTACT:PRIMARY IRRITATION

=====  
First Aid Measures  
=====

First Aid:SPLASH(EYES):FLUSH IMMEDIATELY WITH COPIOUS QUANTITIES OF  
RUNNING WATER FOR AT LEAST 15 MINUTES.TAKE TO A PHYSICAN FOR  
DEFINITIVE MEDICAL TREATMENT. SPLASH(SKIN) REMOVE WITH SOAP AND  
WATER.REMOVE CNTA MINATED CLOTHING.

=====  
Fire Fighting Measures  
=====

Fire Fighting Procedures:WATER MAY BE  
USED TO COOL CLOSED CONTAINERS  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE OR  
BURST(DUE TO THE BUILD-UP OF PRESSURE)WHEN EXPOSED TO EXTREME HEAT

=====  
Accidental Release Measures  
=====

Spill Release Procedures:RETURN MATERIAL TO CONTAINER

=====  
Handling and Storage  
=====

Handling and Storage Precautions:PROTECT FROM FREEZING  
Other Precautions:DO NOT TAKE INTERNALLY.DO NOT FLAME CUT,BRAZE OR WELD  
WITHOUT N  
IOSH APPROVED RESPIRATOR OR APPROPRIATE VENTILATION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IN RESTRICTED VENTILATION AREA USE NIOSH  
APPROVED CHEMICAL MECH.FILT  
Ventilation:LOCAL EXHAUST, MECH:KEEP TLV OF HAZARDOUS MATERIAL BELOW  
TLV  
Protective Gloves:REQUIRED  
Eye Protection:REQUIRED  
Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO  
CONTAMINATED CLOTHING.  
Supplemental Safety and Health

=====  
Physical/Chem  
=====

ical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F

Vapor Pres:17

Vapor Density:>1

Spec Gravity:1.44

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:YES 44%

Appearance and Odor:OPAQUE LIQUID,MILD NON-OBJECTIONABLE ODOR

Percent Volatiles by Volume:61.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:EXCESSIVELY HIGH STORAGE TEMPERATURES

Hazardous Decomposition Pro

ducts:MAY PRODUCE HAZARDOUS FUMES WHEN

HEATED TO DECOMPOSITION

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL,STATE,AND  
FEDERAL REGULATIONS.DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, wa

rrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.