

CORNELL DUBILIER ELEC DIV OF FED PAC ELEC CO -- TQ6040 -- 5910-00-608-2158

=====
Product Identification
=====

Product ID:TQ6040

MSDS Date:01/01/1985

FSC:5910

NIIN:00-608-2158

MSDS Number: BFHSZ

=== Responsible Party ===

Company Name:CORNELL DUBILIER ELEC DIV OF FED PAC ELEC CO

Address:ONE INTERCHANGE PLZ

City:WAYNE

State:NJ

ZIP:07470

Country:US

Emergency Phone Num:NONE

CAGE:09023

=== Contractor Id

entification ===

Company Name:CORNELL DUBILIER ELEC DIV FED PAC ELEC

Address:ONE INTERCHANGE PLZ

Box:B-967

City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:09023

Company Name:CORNELL-DUBILIER ELECTRONICS

Address:ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:14655

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====
=====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====
===== First Aid Measures =====
=====

First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP
IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS
NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE
VOMITING,BUT DO NOT
MAKE UNCONSCIOUS PERSON VOMIT.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
Other Precautions:LARGE CAPACITORS OF 3 LB OR MORE PCB REQUIRE LABELS
IN STORAGE USE & TRANSPORTATION

=====
===== Exposure Controls/Personal
Protection =====
=====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD
Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER-IMPERV
Eye Protection:GOGGLES,FACE SHIELD
Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT
Supplemental Safety and Health
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES
EYES,NOSE THROAT.

=====
===== Physical/Chemical Properties =====
=====

HCC:Z3
Appearance and Odor:LIGHT STRAW-COLORED LIQUID,

AROMATIC ODOR

===== Stability and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in n

o manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.