

CHEMICAL COMMODITIES AGENCY, INC. -- CLEANING COMPOUND,SOLVENT -- 6850-00-611-7993

=====
Product Identification
=====

Product ID:CLEANING COMPOUND,SOLVENT

MSDS Date:11/04/1987

FSC:6850

NIIN:00-611-7993

MSDS Number: BFHTY

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:909-864-2310

/FAX 6220 D. ANGELO

Emergency Phone Num:909-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBON

Fraction by Wt: 11.0%

Other REC Limits:200PPM

Ingred Name:AROMATIC HYDROCARBON

Fraction by Wt: 37.0%

Other REC Limits:100PPM

Ingred Name

:ETHYL ACETATE (SARA III)
CAS:141-78-6
RTECS #:AH5425000
Fraction by Wt: 27.0%
Other REC Limits:200PPM
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 22.0%
Other REC Limits:100PPM
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
F
raction by Wt: 03.0%
Other REC Limits:300PPM
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

=====
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYE CONTACT:-FLUSH WITH LARGE AMOUNTS IOF WATER,OBTAIN MEDICAL ATTENTION IMMEDIATELY. SKIN:FLUSH WITH WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:24F/(-4.4C)
Lower Limits:UNKN
Upper Limits:UNKN
Extinguishing Media:CO*2, FOAM, DRY CHEM.
Fire Fighting Procedures:WATER IS UNSUITABLE
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS WILL BUILD UP PRESSURE WHEN EXPOSED TO HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SPARK SOURCES,OPEN FLAMES & HOT SURGFACES.A

VOID BREATHING VAPORS.PROVIDE ADEQUATE VENTILATION.

=====
=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORING IN HIGH TEMPERATURE AREAS OR NEAR FIRE ON OPEN FLAMES.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED BREATHING OF VAPORS & SKIN CONTACT.

=====
=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS PER SECTION II

Ventilat

ion:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN