

PRODUCTS RESEARCH & CHEMICAL CORP. -- PR-1201-Q -- 8030-00-616-7696

===== Product Identification =====

Product ID:PR-1201-Q

MSDS Date:01/01/1985

FSC:8030

NIIN:00-616-7696

MSDS Number: BFJBC

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORP.

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:818

-240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on Ingredients =====

Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE),

(OSHA PEL FROM 29CFR
1910.1025)

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt: 7%

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:PHENOL FORMALDEHYDE RESIN

CAS:9003-35-4

Fraction by Wt: < 5%

Other REC Limits:NONE SPECIFIED

Ingred Name:ZINC SULFIDE

CAS:1314-98-3

Fraction by Wt: 10% %

Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: < 1%

Other REC Limits:10 MG/M3 STEL

OSHA PEL:SEE TABLE Z-3

ACGIH T

LV:0.1 MG/M3 RDUST;9596

Ingred Name:THIOL TERMINATED POLYMER, POLYDITHIOETER

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:BARIUM SULFATE

CAS:7727-43-7

RTECS #:CR0600000

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9596

==== Hazards Identification =====

=====

Effects of Overexposure:ACCELERATOR CONTAINS LEAD COMPOUND WHICH MAY BE ABSORBED THROUGH BREAKS IN SKIN.

===== First Aid Measures =====

First Aid:SKIN: WASH THOROUGHLY WITH SOAP AND WATER.EYES;FLUSH THOROUGHLY WITH LARGE AMOUNTS OF WATER.INGESTION:INDUCE VOMITING.INHALATION;REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NECESSARY.GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:
>200F PMCC
Lower Limits:UNK
Upper Limits:UNK
Extinguishing Media:FOAM,DRY CHEMICAL,CARBON DIOXIDE
Fire Fighting Procedures:WEAR AIR-SUPPLIED RESPIRATOR WHILE FIGHTING FIRES
Unusual Fire/Explosion Hazard:EMISSION OF TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAD AT SOURCE.ELIMINATE IGNITION SOURCES.ABSORB EXCESS WITH RAGS,PAPER TOWELS OR OTHER ABSORBENT MATERIAL. CLEAN AREA WITH XYLENE OR TOLUENE.PLACE IN CLOSED CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN CLOSED CONTAINERS AT ROOM TEMPERATURE.AVOID FIRE HAZARDS.PROTECT FROM PHYSICAL DAMAGE.AVOID ACCELERATOR SPILLAGE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED RESPIRATOR RECOMMENDED INCONFINED AREAS.
Ventilation:MECHANICAL/LOCAL EXHAUST TO MINIMIZE SOLVENT VAPOR BELOW TLV
Protective Gloves:POLYET

HYLENE

Eye Protection:CHEM GOGGLES

Other Protective Equipment:USE PROTECTIVE HAND CREAM

Supplemental Safety and Health

USE PROTECTIVE HAND CREAM.KEY1:D2.

===== Physical/Chemical Properties =====

HCC:V5

Spec Gravity:UNK

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PINKISH-BROWN SYRUP;SLIGHT TOLUENE ODOR

Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

DECOMPOSES WHEN

EXPOSED TO STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID IGNITION SOURCES

Hazardous Decomposition Products:OXIDES OF SULFUR,HYDROGEN

SULFIDE;FORMIC ACID.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE ABSORBED MATL IN CLOSED CONTAINERS AND
DISPOSE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS. DO
NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is form

ulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.