View NSN Online: https://aerobasegroup.de/nsn/7510-00-616-9588 AMERICAN WRITING INK CO, INC -- O-T-620, TYPE 3 -- 8010-00-616-9588 Product ID:O-T-620, TYPE 3 MSDS Date:01/01/1985 FSC:8010 NIIN:00-616-9588 MSDS Number: BFJDG === Responsible Party === Company Name: AMERICAN WRITING INK CO, INC Emergency Phone Num:617-482-9167 CAGE:82956 === Contractor Identification === Company Name: AMERICAN INK AND OIL CORP Address:33 ENDICOTT S TREET Box:City:NORWOOD State:MA ZIP:02062-3006 Country:US Phone:781-762-0026 / FAX: 781-762-1617 CAGE:82956 ======= Composition/Information on Ingredients ======== Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III) CAS:71-55-6 RTECS #:KJ2975000

RTECS #:KJ2975000 Fraction by Wt: 94.5%

OSHA PEL:350 PPM/450 STEL ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

=========== Hazards Identification ===============

**Effects** 

of Overexposure:ANESTH EFFECTS, SKIN/EYE IRRIT, CARDIAC IRRIT
======================================
First Aid:FLUSH SKIN/EYES W/WATER. ARTIF RESP, REMOVE TO FRESH AIR. INGEST: INDUCE VOMIT, CALL MD.
======================================
Lower Limits:8.0 Upper Limits:10.5 Extinguishing Media:WATER-FOG Fire Fighting Procedures:SELF-CNTND RESP APPARATUS Unusual Fire/Explosion Hazard:NONE
========= Accidental Release M easures ====================================
Spill Release Procedures:USE PROPER PROT EQUIP. MOP UP IMMED. REMOVE TO OUTDOORS. LG SPILLS: EVACUATE AREA, CONTAIN LIQ & TRANSFER TO CLOSED METAL CNTNRS. KEEP OUT OF WATER SUPPLY.
======================================
Handling and Storage Precautions:STORE IN DRY, COOL AREA
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE SELF-CNTND BRTHNG APPARATUS Ventilation:GEN OR LOCAL Eye P
rotection:GLASSES Other Protective Equipment:EYEWASH STATIONS/SAFETY SHOWERS READILY AVAILABLE Supplemental Safety and Health
========== Physical/Chemical Properties =============
HCC:T4 Boiling Pt:B.P. Text:165F, 74C Vapor Pres:100 Vapor Density:4.55 Spec Gravity:1.319 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS LIQ Percent Volatiles by Volume:100
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YE

S
AVOID WATER
Stability Condition to Avoid:OPEN FLAMES, HI-TEMP AREAS
Hazardous Decomposition Products: EVOLUTION OF HYDROGEN CHLORIDE FROM
THERMAL DEGRADATION

======= Disposal Considerations ===========

Waste Disposal Methods:SEND SOLVENT TO RECLAIMER

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expres

sly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.