View NSN Online: https://aerobasegroup.de/nsn/6850-00-656-0810

HOWZE-DEAL ENVIROMNENTAL CORP -- CALIBRATION FLUID -- 6850-00-656-0810

Product ID:CALIBRATION FLUID MSDS Date:07/26/1982 FSC:6850 NIIN:00-656-0810 MSDS Number: BFJZQ === Responsible Party === Company Name: HOWZE-DEAL ENVIROMNENTAL CORP Address:4020 COTTAGE GROVE AVE SE Box:429 **City:CEDAR RAPIDS** State:IA ZIP:52403 Country:US Info Phone Num:319-362-6468 Emergency Ph one Num:319-362-6468 Preparer's Name: ROBERT W HAUGEN CAGE:0Z2Y3 === Contractor Identification === Company Name: HOWELL HYDROCARBONS, INC. Address:7811 S PRESA Box:City:SAN ANTONIO State:TX ZIP:78223-9206 Country:US Phone:512-533-2542/512-533-8111 CAGE:8A906 Company Name: HOWZE-DEAL ENVIROMNENTAL CORP Address:4020 COTTAGE GROVE AVE SE Box:429 City:CEDAR RAPIDS State:IA ZIP:52403 Country:US CAGE:0Z2Y3

Ingred Name:PETROLEUM HYDROC

ARBONS

Ingred Name:AROMATIC HYDROCARBONS Fraction by Wt: 7.5-8%

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: DIZZINESS, HEADACHES TO UNCONSCIOUSNESS. SKIN: DRY, DEFAT LEADING TO IRRITATION & DERMATITIS.

Explanation of Carcinogenicity:NONE

Fi

rst Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS IRREGULAR OR STOPPED, START RESUSCITATION, ADMINISTER OXYGEN. INGESTION: DON'T INDUCE VOMITING. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point Method:TCC Flash Point:103F Lower Limits:1% Upper Limits:6% Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG. Fire Fighting Procedures:USE AIR-SUPPLI ED RESCUE EQUIPMENT FOR ENCLOSED AREAS. Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

COMBUSTIBLE LIQUID.

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. KEEP PEOPLE AWAY, RECOVER FREE LIQUID, ADD ABSORBENTS TO SPILL AREAS. VENTILATE ENCLOSED SPACES. OPEN ALL WINDOWS & DOORS. KEEP PETROLEUM PRODUCTS OUT OF PUBLIC SEWERS, ST REAMS & WATERWAYS.

====== Handling

Handling and Storage Precautions: KEEP CONTAINERS CLOSED. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ONLY W/ADEQUATE VENTILATION. NO SMOKING OR OPEN LIGHTS. Other Precautions: AVOID BREATHING VAPORS, AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. Respiratory Protection: HYDROCARBON VAPOR CANISTER OR SUPPLIED-AIR HOSE MASK, IF NEEDED. Ventilation:LOCAL EXHAUST: FACE VELOCIT Y 60 FPM. MECHANICAL: EXPLOSION PROOF VENTILATION EQUIPMENT. Protective Gloves: CHEMICAL RESISTANT Other Protective Equipment: HYDROCARBON INSOLUBLE APRON IF NEEDED. Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health PRODUCT WAS DISCONTINUED IN 1984. HCC:F4 Boiling Pt:B.P. Text:310-390F Vapor Pres:10 Vapor Density:5 Spec Gravity:0.77 Evaporation Rate & amp; Reference :(N-BU AC = 1): 0.2 Solubility in Water:NEGLIGIBLE Appearance and Odor:WATER WHITE LIQUID; MINERAL SPIRITS ODOR. Percent Volatiles by Volume:99.3% Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS LIKE LIQUID CHLORINE & CONCENTRATED OXYGEN.

Stability Condition to Avoid:HEAT, SPARKS & OPEN FLAME. Hazardous Decomposition Products:CO IN THE CASE OF INCOMPLETE COMBUSTION.

========= Disposal Considerations

Waste Disposal Methods:DISPOSE OF WASTE BY SUPERVISED INCINERATION OR IN A CHEMICAL DISPOSAL AREA IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizi ng this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.