View NSN Online: https://aerobasegroup.de/nsn/6810-00-663-2569

Product ID:LEAD FLUOBORATE MSDS Date:09/01/1989 FSC:6810 NIIN:00-663-2569 **MSDS Number: BFKFQ** === Responsible Party === Company Name: GENERAL CHEMICAL Address:90 E HALSEY RD Box:395 City:PARSIPPANY State:NJ ZIP:07054 Country:US Info Phone Num:201-455-5630 Emergency Phone Num: (201) 455-3700 Preparer's Name: DIREC TOR ENVIRON.MATTERS CAGE:0AU44 === Contractor Identification === Company Name: GENERAL CHEMICAL CORPORATION Address:90 EAST HALSEY ROAD Box:City:PARSIPPANY State:NJ ZIP:07054 Country:US Phone:973-515-1840 CAGE:0AU44

Ingred Name:LEAD FLUOBORATE (SARA III) CAS:13814-96-5 RTECS #:ED2700000 Fraction by Wt: 50-52% OSHA PEL:SEE 1910.1025 ACGIH TLV:0.15 MG PB/M3; 9192 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:WATER CAS:77 32-18-5 RTECS #:ZC0110000 Fraction by Wt: 48-50%

| ====================================== |
|--|
| LD50 LC50 Mixture:LD50(ORAL RAT)=50MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES |
| Health Hazards Acute and Chronic:EXTENDED INH.OF MIST MAY CAUSE SOME OF THE CHRONC.SYMP.NOTED WITH PB FUMES&DUST:METALLIC TASTE,LOSS OF APETITE,INDIGESTION,NAUSEA,VOMIT,CONSTIPATN,ABD.CRAMPS,NERVOUS,INSO MN.EXCESS LEAD ABS.MAY DAMAGE CNS,PNS & KIDNEY. CHRONIC EXPOSUR T |
| O , |
| FLUORIDES MAY DAMAGE KIDNEY,CAUSE FLUOROSISCONTINUES ON SUPPL SFTY & HEALTH DATA- |
| Explanation of Carcinogenicity:COULD NOT BE CLASSIFIED AS TO ITS CARCINOGENITY TO HUMANS. |
| Effects of Overexposure: EYES: LIQ. CONTACT CAUSES SEVERE |
| IRRIT, BURNS. MISTS WILL ALSO IRRIT. SKIN: LIQ. CONTACT CAUSES |
| IRRIT, BURNS; INH: MIST INH. CAUSES HEADACHE, CRAMPS, PAIN IN |
| LEGS,COMA;ING:METALLIC TASTE,ABD.PAIN,VOMIT,DIARRH,CON |
| VULSIONS,COMA.*FATAL DOSE(HUMAN) 0.5GM ABSORBED PB*HYPOCALCEMEIA,PO |
| SSIBLE SEVERE/FATAL MAY OCCUR DUE TO FLUORIDE CONTENT |
| Medical Cond Aggravated by Exposure: FETUS OF PREGNANT WOMEN WORKERS MAY |
| BE AT INCREASED RISK DUE TO EXCESS EXPOSURE TO LEAD. |
| ====================================== |
| First Aid: EYES: ELUS IMM FOR 20MIN W LG AMTS OF WTR SEEK MED |

First Aid: EYES: FLUS IMM. FOR 20MIN W.LG AMTS OF WTR. SEEK MED ATTN; SKIN: PROMPTLY WASH W.SOAP&WTR. TREAT AS ACID BURN. REMOVE CONTAM. CLOTH. SEEK MED. ATTN; INH: REMOVE TO FRESH AIR. IF BREATHNG GIVE O*2, IF NOT BREATHNG, G IVE CPR. SEEK MED. AT
TN; ING: CALL DOCTOR AT ONCE. DO NOT INDUCE VOMIT. IF CONCIOUS GIVE SEVERAL GLASSES MILK OR SEVERAL OUNCES MILK OF MAGNESIA, IF AVAIL; OTHERWISE GIVE LG QUANTITIES OF WTR&KEEP WARM&QUIET.

Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP.DO NOT USE WTR STRM DIRECTLY ON MTL ITSELF.USE WTR SPRAY TO ABSORB OR DISPERSE VAPORS. Unusual Fire/Expl osion Hazard:AVOID BREATHNG VAPS & FUMES FROM BURNING MATERIAL.AVOID BODILY CONTACT WITH MATERIAL. *USE WATER SPRAY TO KEEP FIRE-EXPOSED CONTAINERS COOL*

Spill Release Procedures:CONTAIN SPILL WITH INERT MATERIAL.USING CAUTION,FLUSH W.WTR TO DILUTE SPILL OR NEUTRALIZE IT WITH ALKALI SUCH AS SODIUM CARBONATE.KEEP OUT OF SEWER.MOP OR PUMP UP INTO SUITABLE CONTAINER,COVER & LABEL FOR STORAGE AND LATER DISPOSA L.

Neutralizing Agent:CAO;CA(OH)*2;NAOH;NA*2CO*3

Handling and Storage Precautions:DO NOT GET IN EYES,SKIN OR CLOTH.AVOID BREATHING MIST,IF FORMED USE W.ADEQUATE VENTILATION AND DO NOT EAT,SMOKE WHILE HANDLING.

Other Precautions:STORE IN A DRY,WELL-VENTILATED AREA,OUT OF THE SUN,AWAY FROM HEAT & FOOD PRODUCTS. KEEP CONTAINERS TIGHTLY CLOSED AND PROTECT FROM PHYSICAL DAMAGE. PERIODICALLY INSPECT DRUM AND STOR

AGE CONDITIONS.

Respiratory Protection: IF MISTY COND.PREVAIL&CONC.IS >TLV BUT50MG(PB)/CUM U SE NIOSH APPVD SCBA W.FULL FACEPIECE.

Ventilation: IF MISTY COND.PREVAIL, PROVIDE LOCAL EXHAUST VENTILATION. NATURAL VENTILATION IS NORM.ADEQUATE IN ABSENCE OF MISTY COND.

Protective Gloves:RUBBER

Eye Protection: CHEM.SFTY GOGGLES W.FULL-FACE PLSTC SHLD

Other Protective Equipment:NEUTRALIZING SUPPLIES&EQUIPM,IF CALLED FOR B

Y PRE-PLANNED SPILL OR LEAK PROCEDURES.PROVIDE EYEWASH,SHOWER STATIONS.

Work Hygienic Practices:OBSERVE SCRUPULOUS PERS.HYGIENE&GOOD HOUSEKEEPNG PRACT.WASH THOROUGHLY AFTER HANDLING.REMOVE PROMPTLY ANY CONTAM.ITEMS.

Supplemental Safety and Health

CONT'D FROM HEALTH HAZARD:EXCESS EXPOSURE TO LEAD CAN IMPAIR THE FORMATION OF BLOOD CELLS;IN ADDITION,THE FETUS OF PREGNANT WOMEN WORKERS MAY BE AT INCREASED RISK,BECAUSE LEAD IS ABLE TO TRAVERSE THE PLACENTA BARRIER AND ENTER T HE BLOOD STREAM OF THE FETUS.

HCC:T4 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.75 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID. RELATIVELY NO ODOR.

Stability Indicator/Materials to Avoid:YES CYANIDES,CALCIUM CARBIDE,FLUORINE,WATER-REACTIVE MATERIALS. *ALUMINUM:THIS SOLUTION IS CORROSIVE TO AL* Stability Condition to Avoid:EVAP ORATION TO DRYNESS WITH SUSTAINED HEATING (AS IN AN ACCIDENTAL FIRE) Hazardous Decomposition Products:HEATING SOLN TO OR ABOVE BOILING PT GIVES OFF TOX MIST. HEATING OF RESIDUE,IF EVAP.TO DRYNESS,MAY YIELD TOXIC GASES.

Waste Disposal Methods:NEUTRALIZE W.CAUTION.DO NOT SEWER.DISPOSAL OF WASTE PB FLUOBORATE SOLN MAY BE SUBJECT TO FDL,STATE&LOCAL REGS. USER SHOULD REVIEW OPNS IN TERMS OF APPLICABLE REGS,THEN C ONSULT

WITH APPROP.REGULATORY A GENCIES BEFORE DISCHARGING OR DISPOSINGOF WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.