

GOAL CHEMICAL SEALANTS CORP.31337 E 26 ST.L.A.CALI -- GC-3001 -- 8030-00-664-4954
===== Product Identification =====

Product ID:GC-3001

MSDS Date:01/01/1987

FSC:8030

NIIN:00-664-4954

MSDS Number: BFKPV

=== Responsible Party ===

Company Name:GOAL CHEMICAL SEALANTS CORP.31337 E 26 ST.L.A.CALI

Emergency Phone Num:213-269-0461

CAGE:04011

=== Contractor Identification ===

Company Name:GOAL CHEMICAL SE
ALANTS CORP

Address:3137 E 26TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Phone:213-269-0461

CAGE:04011

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 81.0%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PHENOLIC

Fraction by Wt: 7.0%

===== Hazards Identification ===

=====

Effects of Overexposure:REMOVE VICTIM TO CENTRAL NERVOUS SYSTEM, MAY CAUSE DIZZINESS

===== First Aid Measures =====

First Aid:REMOVE VICTIM TO OPEN AREA AWAY FROM FUMES. IN CASE OF EYE CONTACT FLUSH WITH WATER AND SEE A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:>35F CC
Extinguishing Media:DRY CHEMICALS, CO2, ETC
Fire Fighting Procedures:FIGHT AS EXPLOSIVE SOLVENT
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP WITH TOLUENE OR KETONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL PLACE BELOW 80F
Other Precautions:WASH THOROUGHLY AFTER HANDLING,STORE BELOW 80F

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED FOR REGULAR OPEN AREA USE
Ventilation:LOCAL EXHAUST
Protective Gloves:YES-RECOMMENDED
Eye Protection:YES-RECOMMENDED
Other Protective Equipment:CHEMICAL RESISTANT APRON
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3
Solubility in Water:NIL
Appearance and Odor:CLEAR AMBER
Percent Volatiles by Volume:85.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HEAT ABOVE 80F
Conditions to Avoid Poly

merization:HEAT ABOVE 80F

===== Disposal Considerations =====

Waste Disposal Methods:FIREPROOF CONTAINER

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.